

County: Geary Fraction SE NW SW SW Sec. 30 T 11 S R 6 EW

CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5)

(to rectify lacking or incorrect information)

Owner: John Kramer

Location was listed as:

Location changed to:

Section-Township-Range: 30-11S-6E

30-11S-6E

Fraction (1/4 1/4 1/4): lot 3 SS 2-11-6

SE NW SW SW

Other changes: Initial statements: _____

Changed to: _____

Comments: Section, township, range, and quarters determined by projecting regular Kansas survey system over Fort Riley area.

Verification method: Latitude & longitude, KGS' "LEO" conversion tool, Junction City 1:24,000 USGS topo. map, and mapping tool on KGS website.

initials: WPL date: 4/23/2013

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

39,119

1 LOCATION OF WATER WELL: County: Geary Fraction Lot 3 SS 2-11-6 Section Number 30 Township No. T 11 S Range Number R 6 E W

Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: Approximately 3 miles south and 9 miles east of Milford. Global Positioning System (GPS) information: Latitude: 39.060822 Longitude: -96.812135 Elevation: Unknown

2 WATER WELL OWNER: John Kramer RR#, Street Address, Box #: 10916 Quarry Rd. City, State, ZIP Code : Milford, KS 66514

3 LOCATE WELL WITH AN "X" IN SECTION BOX: [Diagram] 4 DEPTH OF COMPLETED WELL 54 ft. Depth(s) Groundwater Encountered (1) 26.50 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 26.50 ft. below land surface measured on mo/day/yr 03/19/13

5 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 16 in. to 37.50 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 18 in., Weight 19.75 lbs./ft., Wall thickness or gauge No. 616

6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 0 ft. to 22 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Rows include Topsoil, Sandy clay, Sand, fine, Sand & gravel, fine to coarse, Limestone.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 03/19/13 and this record is true to the best of my knowledge and belief.

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.