

WATER WELL RI		** ** C-3	2203		ion of Water		W 11 ID	
		ge in Well Use			rces App. No.		Well ID	NY 1
1 LOCATION OF WATER WELL:		Fraction	1/ 1/	Secti	on Number	Township Numb		ige Number
County:		1/4 1/4	D	1 4 1 1 1	T S	R	□E □W	
2 WELL OWNER: La Business:	First:		Street or Rural Address where well is located (if unknown, distance and					
Address:	direction from nearest town of intersection). If at owner is accuracy, entern nearest					meck nere:		
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEPTH OF COM	PI FTFD WELL	•	ft	5 I offind	0.		(daaimal daamaaa)
WITH "X" IN	Depth(s) Groundwater 1							
SECTION BOX:		3) ft., or 4)						
N	WELL'S STATIC WA							
	☐ below land surface.				☐ GPS (unit make/model:			
NW NE	above land surface,	, measured on (mo-da	ıy-yr)					
	Pump test data: Well w				☐ Land Survey ☐ Topographic Map			
W E		s pumping			☐ Onli	ne Mapper:		
SW SE		vater was						
SW SE	Estimated Yield:	s pumping	gpm	om 6 Elevation:ft. ☐ Ground Level ☐ TOC				
S	Bore Hole Diameter:		ft and					
1 mile		in. to		D Others				
7 WELL WATER TO					L			
1. Domestic:		ater Supply: well ID.			10. □ Oil F	ield Water Supply: 1	ease	
☐ Household		g: how many wells?				11. Test Hole: well ID		
☐ Lawn & Garden	7. 🗌 Aquifer Ro	echarge: well ID				d Uncased		
☐ Livestock		g: well ID				mal: how many bore		
2. Irrigation		al Remediation: well				ed Loop Horizon		
3. ☐ Feedlot	☐ Air Sparge		r Extraction	raction b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):				
4. Industrial	☐ Recovery							
Was a chemical/bacteri		nitted to KDHE? [☐ Yes ☐	No l	If yes, date s	ample was submitte	ed:	
Water well disinfected?								
8 TYPE OF CASING								
Casing diameter								
Casing height above land so			lbs	./ft.	Wall thickne	ss or gauge No		
TYPE OF SCREEN OR						(C :C)		
	less Steel			, hala)		(Specify)		• • • • • • • • • • • • • • • • • • • •
☐ Brass ☐ Galva			e used (oper	i noie)				
			Torch Cut	□ Dri	illed Holes - [Other (Specify)		
	☐ Key Punched ☐ W				ne (Open Hole			•••••
SCREEN-PERFORATE	D INTERVALS: From	n ft. to	ft., Fr	om	ft. to	ft., From	ft. to	ft.
SCREEN-PERFORATED INTERVALS: From								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
Nearest source of possible contamination:								
	☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage							
	☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
☐ Other (Specify)								
10 FROM TO	LITHOLOG		FRO			THO. LOG (cont.) o		GINTERVALS
10 110.11	EITHOLOG	310 200	TRO	.,,	10 1	1110. 200 (cont.) 0	<u> </u>	SHVIERVIES
Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year)								
Kansas Water Well Cont	ractor's License No	This V	vater Well	Keco	rd was comp	ieted on (mo-day-y	ear)	•••••
under the business name of								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5
Contractor	Associated Drilling, Inc.
Well Owner	Cheryl Raborn
Doc ID	1172205

Litholgy

From	То	LithologicLog
0	13	brown clay
13	18	limestone
18	22	grey shale
22	25	tan shale
25	27	limestone
27	33	tan shale
33	40	red shale
40	45	limestone
45	54	grey shale
54	57	limestone
57	60	red shale
60	75	grey shale
75	77	limestone
77	87	grey shale
87	93	limestone
93	100	limestone
100	108	grey shale
108	111	limestone
111	137	red shale
137	140	grey shale
140	155	limestone
155	175	grey shale
175	177	limestone
177	194	grey shale

Form	WWC5
Contractor	Associated Drilling, Inc.
Well Owner	Cheryl Raborn
Doc ID	1172205

Litholgy

From	То	LithologicLog
194	200	red shale