				R WELL RECORD	Form WWC-	KSA 8				
LOCATION OF WATER WELL:			Fraction *	See Below	Se Se	ction Number	er Township Nu	umber	Range Number	
County: $\mathtt{Ri1ey}$ Distance and direction from nearest town $\mathfrak c$					VW 1/4	44_	T_//	S	R 6 EW	
			-		-					
TS0492	CONTRACTOR OF THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.			S St., Camp F		 Riley 	, Kansas			
			, .	of Engineers	3					
		<# : 601 Ea					Board of A	griculture, I	Division of Water Resource	
	ZIP Code		City, Mis							
LOCATE	WELL'S LO									
AIA V	IN SECTION	1 1							 	
7	1		WELL'S STATIC	WATER LEVEL	18•7. ft. t	elow land s	surface measured on	mo/day/yr		
	- NW	- NE	Pum	p test data: Well v	vater was	ft.	after	hours pu	mping gpr	
	1	i							mping gpr	
. W	i	1	Bore Hole Diam	eter $11\ldots$ in.	to 2	.7	., and	in	. to	
ž w	1	1	WELL WATER	TO BE USED AS:	5 Public wat	er supply	8 Air conditioning	11	Injection well	
ī	SW	SF I	1 Domestic	3 Feedlot	6 Oil field wa	iter supply	9 Dewatering	12	Other (Specify below)	
	1 700 000 000	30 30	2 Irrigation	4 Industrial	7 Lawn and	garden only	10 Monitoring well			
		0	Was a chemical	/bacteriological samp	ole submitted to D	epartment?	YesNoX	; If yes	, mo/day/yr sample was su	
diam.			mitted			V	Vater Well Disinfecte	d? Yes	No X	
TYPE C	F BLANK C	CASING USED:		5 Wrought iron	8 Conci	ete tile	CASING JOI	NTS: Glue	d Clamped	
1 Ste	el	3 RMP (SF	₹)	6 Asbestos-Ceme	ent 9 Other	(specify be	low)	Weld	ed	
O PV		4 ABS		7 Fiberglass					adedX	
									in. to fi	
Casing hei	ght above la	and surface	0	.in., weight		lb	s./ft. Wall thickness	or gauge N	o. Sch 40	
TYPE OF	SCREEN O	R PERFORATION	N MATERIAL:	O PVC			10 Asbestos-cement			
1 Steel 3 Stainless steel				5 Fiberglass	- 8 RI	/IP (SR)	(SR) 11 Other (specify)			
2 Brass 4 Galvanized steel				6 Concrete tile 9 ABS		BS .	12 Nor	ne used (op	en hole)	
SCREEN OR PERFORATION OPENINGS ARE:				5 Gauzed wrapped			8 Saw cut		11 None (open hole)	
1 Co	ntinuous slo	t 🔇 Mi	ill slot	6 W	'ire wrapped		9 Drilled holes			
2 Lot	uvered shutt	er 4 Ke	ey punched		orch cut					
SCREEN-F	PERFORATI	ED INTERVALS:	From	2.5 ft. te	o 15	ft., F	rom	ft. t	o	
									o	
G	RAVEL PA	CK INTERVALS:	From	2,7, , , ft. to	o 13	ft., F	rom	ft. t	of	
			From	ft. t	0	ft., F		ft. 1		
1999	MATERIAL		ement		3 Bent				lets .13.'-10.5'	
Grout Inter				ft., From	ft.		·	.3.5	ft. to 0	
What is the	e nearest so	ource of possible	contamination:			10 Liv	estock pens	14 A	bandoned water well	
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel storage		15 Oil well/Gas well		
2 Sewer lines 5 Cess pool			pool	8 Sewage lagoor		on 12 Fertilizer storage		16 Other (specify below)		
3 Wa	atertight sew	er lines 6 Seep	age pit	9 Feedyard	d	13 Insecticide storage			UST Site	
Direction for	om well?					·	nany feet?			
FROM	то		LITHOLOGIC	LOG	FROM	ТО	PL PL	UGGING I	NTERVALS	
0 1.5	1.5 4.8	Gravel Fi	.11	· · · · · · · · · · · · · · · · · · ·						
		Silt .							/	
4.8	11.5	Brown Sil	•							
11.5	27	Brown Fir	<u>ne to Coars</u>	se Sand						
		artika oli sada dii 1976 danda dalama artika ar							P. C. Samerana (1964) - 1974	
		*Location referenced to Ft.			ey Datum					
		278,682	2.5 N							
		2,359,317	/.4 E			-				
- Pale and Allino Commen				**************************************						
									75-76-1	
. 207 6 400 00 00 00 00 00 00 00 00 00 00 00 00						1	1			
					ell was ወ constr	ucted, (2) re	econstructed, or (3) p	olugged und	der my jurisdiction and wa	
		/year)	12/3/92			and this re	cord is true to the be	st of my kr	owledge and belief. Kansa	
Water Wel	Contractor	's License No		.519. This Wate	er Well Record w	as complete	ed on (mo/day/yr) ᢃ	724/93	<u>.</u>	
under the	business na	me of MIKON (Corporatio	n		by (sig	nature) Daw	S) 1. F	Same	