WATER WELL R		(NGS D	Div	vision of Water			
Original Record	ATER WELL: Fraction	se (10 CTS 1	Res	ources App. No ction Number	Township Numb	Well ID er Range Number	
1 LOCATION OF W County: Riz	ALDIC WELLS.		1/4		T // S	R TOPE W	
	ast Name: MANSEL First: J	Stu				(if unknown, distance and	
Business: Address: 5186 South 40th Street Prom Manual No. Go South Wist en							
Address:							
City: MOWN					LICOPAT O	1 H77	
WITH "X" IN	4 DEPTH OF COMPLETED	WELL:	ft. D ft	. 5 Latitud	N3905.8	(decimal degrees)	
SECTION BOX:	Depth(s) Groundwater Encountered	1: 1) 	II. New West		de V	(decimal degrees)	
WEJL'S STATIC WATER LEVEL: 2.9							
NW NE	Pump test data: Well water was ft.			(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			
W E	after hours pumping gpm				Online Mapper:		
SW SE	Well water was after hours pumping .		m		10001		
	Estimated Yield: 30. 2. gpm	ار سو	11			☐ Ground Level ☐ TOC	
S	Bore Hole Diameter:					GPS Topographic Map	
1 mile in. to							
1. Domestic:	5. ☐ Public Water Supply:	well ID		10. 🔲 Oil I	ield Water Supply: le	ase	
☐ Household	Dewatering: how mar	ıy wells?		11. Test Ho	le: well ID		
Lawn & Garden Livestock	7. ☐ Aquifer Recharge: we8. ☐ Monitoring: well ID .				d 🔲 Uncased 🔲 (mal: how many bores		
2. Irrigation	9. Environmental Remediati				ed Loop Horizont		
3. ☐ Feedlot		Soil Vapor Extr	action			scharge 🔲 Inj. of Water	
4. Industrial		njection				1	
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☑ No If yes, date sample was submitted:							
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PPVC Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)							
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From .56 ft. to .76 ft., From ft. to ft., From ft. to ft.							
GRAVEL PAC	CK INTERVALS: From25 f	t. to	ft., From .	ft. to	ft., From	ft. to ft.	
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Nearest source of possible contamination: None Close							
☐ Septic Tank	☐ Lateral Lines ☐	Pit Privy		Livestock Pens		ide Storage	
☐ Sewer Lines ☐ Watertight Sewer Lin		Sewage Lagoo Feedyard		Fuel Storage Fertilizer Storage		oned Water Well ll/Gas Well	
Other (Specify)	_ 15 _						
Direction from well?	Distai	nce from well?	FROM			PLUGGING INTERVALS	
10 FROM 10	TOD SOIL		FROM	10 1	THO. LOG (cont.) or	PLUGGING INTERVALS	
1 26	Brown GLAY						
26 29	GrAVIL MIXIN WITE	Clay					
27 38	MMISTONE, WI	Tr)					
38 43	Unoun shall	-					
43 311 H	CONVERTED CONVE		Notes:		<u> </u>		
54 56 Linustone							
of the Cast with Chale							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 2022 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)							
Kansas Water Well Contractor's License No							
under the business name of							
Mail 1 mails and 1	ng with a fac of \$5 00 for each country and	well to Vanca-	Danatana	of Health and E-	vironment Durent of M.	er GWTS Section	
Mail 1 white copy alo	ng with a fee of \$5.00 for <u>each</u> constructed , Suite 420, Topeka, Kansas 66612-1367.	well to: Kansas Mail one to Wat	Department er Well Own	of Health and En	vironment, Dureau of W for your ecords. Teleph	one 785-296-5524.	