J. COATION OF				- WARAIO F	LOA OO	- 4040		
	ATED WELL:	Fraction	R WELL RECORD F	orm WWC-5	KSA 82a tion Number		mhar I	Range Number
LOCATION OF V County: Riley	AIEN WELL.	SE 1/4	NW 1/4 N	W 1/4	ion number 4	T 11	S	R 7 EAX
······································	on from nearest tow		ddress of well if located] 11	3 1	H / E/4/4*
		•	S on K18-1/2	-	1/2 9			
2 WATER WELL			- Wood & Wood F	arms, I	1C.			
RR#, St. Address,	200	1, Box 316				,	•	ivision of Water Resources
City, State, ZIP Co	# # CAS TO THE	ittan, KS 6				Application		36,750
J LOCATE WELL'S	LOCATION WITH	4 DEPTH OF C	OMPLETED WELL	58	ft. ELEVA	ATION:		
→ AN "X" IN SECT	ION BOX:	Depth(s) Ground	water Encountered 1		18. ft.	2	ft. 3.	, , , , , ,
A I		WELL'S STATIC	WATER LEVEL	1 8. ft. b	elow land su	rface measured on	mo/day/yr	XXXXX
x'		Pump	test data: Well water	was	26. ft. a	after	hours pur	nping 800 gpm
NW -	as as NE so so						•	nping 800 gpm
		Bore Hole Diame	iter 32 in to	.,,,,,	58 ft	and	in	toft.
S A Security State of the security State of	ennethermonismus E	l .			r supply	8 Air conditioning		njection well
form.		1 Domestic		Oil field wa	11.	_		Other (Specify below)
SW _	- SE					· ·		
		2 Irrigation		,	,	10 Observation wel	l	
disciplation of the state of th			pacteriological sample su	bmitted to D				mo/day/yr sample was sub
	<u>S</u>	mitted				ater Well Disinfected		No X
5 TYPE OF BLAN	CASING USED:		5 Wrought iron	8 Concre				Clamped X
1 Steel	3 RMP (SI	R)	6 Asbestos-Cement	9 Other	(specify belo	w)		d
2 PVC	4 ABS		7 Fiberglass					ded
								n. to ft.
Casing height abov	e land surface		in., weight		. <u>3</u> 8 Ibs.	/ft. Wall thickness o	r gauge No	75
TYPE OF SCREEN	OR PERFORATIO	N MATERIAL:		7 PV	С	10 Asbe	estos-cemer	nt .
1 Steel	3 Stainléss	s steel	5 Fiberglass	8 RN	1P (SR)	11 Othe	r (specify) .	
2 Brass	4 Galvaniz	zed steel	6 Concrete tile	9 AB	s	12 None	e used (ope	en hole)
SCREEN OR PERI	ORATION OPENIN	IGS ARE:	5 Gauzeo	d wrapped		8 Saw cut		11 None (open hole)
1 Continuous	slot 3 M	1ill slot	6 Wire w			9 Drilled holes		, ,
2 Louvered s	nutter 4 K	ey punched	7 Torch o			10 Other (specify)	1	
	ATED INTERVALS:				.58 .ft Fro	, , ,		o
OOI ILLIA I LIA OI	TIED HVIETTYNEO.		ft. to		-			
						nm i		
GRAVEL	PACK INTERVALS:							
GRAVEL	PACK INTERVALS:	From			.58ft., Fro	om	ft. to) :
h		From			.58ft., Fro ft., Fro	om	ft. to)
6 GROUT MATER	IAL: 1 Neat	From From cement	ft. to ft. to 2 Cement grout	3 Bento	.58ft., Fro ft., Fro onite 4	om	ft. to)ft.) ft.
6 GROUT MATER	IAL: 1 Neat of	From From cement .ft. to	ft. to ft. to 2 Cement grout	3 Bento	.58ft., Frontie 4 to	om Other Other From	ft. to	ft
6 GROUT MATER Grout Intervals: What is the neares	IAL: 1 Neat of From	From From cement .ft. to	ft. to ft. to 2 Cement grout 10 . ft., From	3 Bento	.58ft., Frontie 4 to	om Other Other Stock pens	ft. to ft. to	ft. oft. to
6 GROUT MATER Grout Intervals: What is the neares 1 Septic tank	IAL: 1 Neat of rom () . source of possible 4 Later	From From cement .ft. to	ft. to ft. to Cement grout ft. to Prit privy	3 Bento ft.	.58ft., Fro ft., Fro onite 4 to 10 Live 11 Fuel	om Other Other Stock pens Storage	ft. to ft. to ft. to	ft. oft. ft. oft. ft. to
6 GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines	From	From From cement .ft. to contamination: ral lines	ft. to ft. to 2 Cement grout 10 . ft., From 7 Pit privy 8 Sewage lagoo	3 Bento ft.	.58ft., Fro ft., Fro onite 4 to 10 Live 11 Fuel 12 Ferti	om Other Other Stock pens storage	14 Ab	ft. to
6 GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight	IAL: 1 Neat of from(). source of possible 4 Later 5 Cess sewer lines 6 Seep	From From cement .ft. to contamination: ral lines	ft. to ft. to Cement grout ft. to Prit privy	3 Bento ft.	.58ft., Fronti, Frontie 4 to	om Other Other Other Stock pens storage Storage Cticide storage	14 Ab 15 Oil	ft. oft. ft. oft. ft. to
6 GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well	IAL: 1 Neat of from(). source of possible 4 Later 5 Cess sewer lines 6 Seep	From From cement .ft. to contamination: ral lines s pool page pit	ft. to ft. to Cement grout From Pit privy Sewage lagor Feedyard	3 Bento ft.	.58ft., Front, Fronte 4 to	om Other Other Stock pens storage dilizer storage cticide storage any feet? 250 f	14 Ab 15 Oil 16 Otl	ft. to
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO	IAL: 1 Neat of From() source of possible 4 Later 5 Cess sewer lines 6 Seep	From From cement .ft. to contamination: ral lines a pool bage pit LITHOLOGIC	ft. to ft. to Cement grout From Pit privy Sewage lagor Feedyard	3 Bento ft.	.58ft., Fronti, Frontie 4 to	om Other Other Stock pens storage dilizer storage cticide storage any feet? 250 f	14 Ab 15 Oil	ft. to
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO	IAL: 1 Neat of From	From From cement .ft. to contamination: ral lines pool page pit LITHOLOGIC	ft. to ft. to Cement grout From Pit privy Sewage lagor Feedyard	3 Bento ft.	.58ft., Front, Fronte 4 to	om Other Other Stock pens storage dilizer storage cticide storage any feet? 250 f	14 Ab 15 Oil 16 Otl	ft. to
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 0	IAL: 1 Neat of From	From From cement .ft. to contamination: ral lines pool page pit LITHOLOGIC 1t wm sand	ft. to ft. to Cement grout From Pit privy Sewage lagor Feedyard	3 Bento ft.	.58ft., Front, Fronte 4 to	om Other Other Stock pens storage dilizer storage cticide storage any feet? 250 f	14 Ab 15 Oil 16 Otl	ft. to
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 0 9 1	Fine brow	From From cement .ft. to contamination: ral lines s pool bage pit LITHOLOGIC lt wm sand wm silt	ft. to ft. to Cement grout From Pit privy Sewage lagor Feedyard	3 Bento ft.	.58ft., Front, Fronte 4 to	om Other Other Stock pens storage dilizer storage cticide storage any feet? 250 f	14 Ab 15 Oil 16 Otl	ft. to
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 0	Fine brow	From From cement .ft. to contamination: ral lines s pool bage pit LITHOLOGIC lt wm sand wm silt	ft. to ft. to Cement grout From Pit privy Sewage lagor Feedyard	3 Bento ft.	.58ft., Front, Fronte 4 to	om Other Other Stock pens storage dilizer storage cticide storage any feet? 250 f	14 Ab 15 Oil 16 Otl	ft. to
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 0 9 1	IAL: 1 Neat of from	From From cement .ft. to contamination: ral lines s pool bage pit LITHOLOGIC lt wm sand wm silt	ft. to ft. to 2 Cement grout 7 Fit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	.58ft., Front, Fronte 4 to	om Other Other Stock pens storage dilizer storage cticide storage any feet? 250 f	14 Ab 15 Oil 16 Otl	ft. to
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 0 9 1 13 1	IAL: 1 Neat of From	From From cement .ft. to contamination: ral lines s pool page pit LITHOLOGIC lt wm sand wn silt wn sand brown grave	ft. to ft. to 2 Cement grout 7 Fit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	.58ft., Front, Fronte 4 to	om Other Other Stock pens storage dilizer storage cticide storage any feet? 250 f	14 Ab 15 Oil 16 Otl	ft. to
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 9 1 13 1' 17 1' 19 2'	IAL: 1 Neat of source of possible 4 Later 5 Cess 1 Sewer lines 6 Seep NE Sandy Sil Fine brow Soft brow Sml-Med. Small brow	From From cement .ft. to contamination: ral lines pool page pit LITHOLOGIC lt wn sand wn silt wn sand brown grave own sand	ft. to ft. to Cement grout Fit privy Sewage lagor Feedyard LOG	3 Bento	.58ft., Front, Fronte 4 to	om Other Other Stock pens storage dilizer storage cticide storage any feet? 250 f	14 Ab 15 Oil 16 Otl	ft. to
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 0 9 11 13 11 17 13 17 19 21 21 2	IAL: 1 Neat of rom	From. From cement .ft. to contamination: ral lines pool page pit LITHOLOGIC It wn sand wn silt wn sand brown grave own sand gray grave	ft. to ft. to 2 Cement grout 7 Fit privy 8 Sewage lagor 9 Feedyard LOG	3 Bento	.58ft., Front, Fronte 4 to	om Other Other Stock pens storage dilizer storage cticide storage any feet? 250 f	14 Ab 15 Oil 16 Otl	ft. to
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 0 9 11 13 11 17 13 19 2: 21 2: 23 5	IAL: 1 Neat of rom	From From cement .ft. to contamination: ral lines pool page pit LITHOLOGIC lt wn sand wn silt wn sand brown grave own sand gray grave gray grave	ft. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard LOG 1 and gray clay el(clear)	3 Bento	.58ft., Front, Fronte 4 to	om Other Other Stock pens storage dilizer storage cticide storage any feet? 250 f	14 Ab 15 Oil 16 Otl	ft. to
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 0 9 11 13 11 17 13 17 19 21 21 2	IAL: 1 Neat of rom	From. From cement .ft. to contamination: ral lines pool page pit LITHOLOGIC It wn sand wn silt wn sand brown grave own sand gray grave	ft. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard LOG 1 and gray clay el(clear)	3 Bento	.58ft., Front, Fronte 4 to	om Other Other Stock pens storage dilizer storage cticide storage any feet? 250 f	14 Ab 15 Oil 16 Otl	ft. to
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 0 9 11 13 11 17 13 19 2: 21 2: 23 5	IAL: 1 Neat of rom	From From cement .ft. to contamination: ral lines pool page pit LITHOLOGIC lt wn sand wn silt wn sand brown grave own sand gray grave gray grave	ft. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard LOG 1 and gray clay el(clear)	3 Bento	.58ft., Front, Fronte 4 to	om Other Other Stock pens storage dilizer storage cticide storage any feet? 250 f	14 Ab 15 Oil 16 Otl	ft. to
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 0 9 11 13 11 17 13 19 2: 21 2: 23 5	IAL: 1 Neat of rom	From From cement .ft. to contamination: ral lines pool page pit LITHOLOGIC lt wn sand wn silt wn sand brown grave own sand gray grave gray grave	ft. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard LOG 1 and gray clay el(clear)	3 Bento	.58ft., Front, Fronte 4 to	om Other Other Stock pens storage dilizer storage cticide storage any feet? 250 f	14 Ab 15 Oil 16 Otl	ft. to
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 0 9 11 13 11 17 13 19 2: 21 2: 23 5	IAL: 1 Neat of rom	From From cement .ft. to contamination: ral lines pool page pit LITHOLOGIC lt wn sand wn silt wn sand brown grave own sand gray grave gray grave	ft. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard LOG 1 and gray clay el(clear)	3 Bento	.58ft., Front, Fronte 4 to	om Other Other Stock pens storage dilizer storage cticide storage any feet? 250 f	14 Ab 15 Oil 16 Otl	ft. to
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 0 9 11 13 11 17 13 19 2: 21 2: 23 5	IAL: 1 Neat of rom	From From cement .ft. to contamination: ral lines pool page pit LITHOLOGIC lt wn sand wn silt wn sand brown grave own sand gray grave gray grave	ft. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard LOG 1 and gray clay el(clear)	3 Bento	.58ft., Front, Fronte 4 to	om Other Other Stock pens storage dilizer storage cticide storage any feet? 250 f	14 Ab 15 Oil 16 Otl	ft. to
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 0 9 11 13 11 17 13 19 2: 21 2: 23 5	IAL: 1 Neat of rom	From From cement .ft. to contamination: ral lines pool page pit LITHOLOGIC lt wn sand wn silt wn sand brown grave own sand gray grave gray grave	ft. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard LOG 1 and gray clay el(clear)	3 Bento	.58ft., Front, Fronte 4 to	om Other Other Stock pens storage dilizer storage cticide storage any feet? 250 f	14 Ab 15 Oil 16 Otl	ft. to
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 0 9 11 13 10 17 13 17 13 17 19 21 21 23 55 57 55	AL: 1 Neat of From	From From cement .ft. to contamination: ral lines s pool bage pit LITHOLOGIC lt wn sand wn silt wn sand brown grave bwn sand gray grave gray grave en shale Si	tto ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG 1 and gray clay el(clear) TOPPED	3 Bento ft.	.58ft., Frontile 4 to	om Other Other tt., From stock pens storage ilizer storage cticide storage any feet? 250 f	14 Ab 15 Oil 16 Ot	ft. off. ft. to ft. ft. to ft. ft. to ft. pandoned water well I well/Gas well her (specify below) C LOG
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 0 9 11 13 11 17 13 17 13 17 13 19 2: 21 2: 23 5: 57 5:	IAL: 1 Neat of From	From cement .ft. to	t. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG 1 and gray clay el(clear) TOPPED	3 Bento ft. FROM S (1) constru	tt., From tt., F	om	t. In to the state of the state	er my jurisdiction and was
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 0 9 11 13 10 17 10 19 2 21 2 23 5 57 5 CONTRACTOR completed on (mo/	IAL: 1 Neat of From	From From cement .ft. to contamination: ral lines s pool bage pit LITHOLOGIC lt wn sand wn silt wn sand brown grave own sand gray grave en shale Si	t. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG 1 and gray clay el(clear) TOPPED ON: This water well was 9-7-83	3 Bento ft.	.58ft., From tt., From	om	t. In to ft. It ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	er my jurisdiction and was bywledge and belief. Kansas
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 0 9 11 13 1' 17 13 17 13 17 15 19 2: 23 5: 57 5: 7 CONTRACTOR completed on (mo/ Water Well Contract	IAL: 1 Neat of rom	From From cement .ft. to contamination: ral lines pool page pit LITHOLOGIC It wn sand wn silt wn sand brown grave own sand gray grave gray grave en shale Si R'S CERTIFICATI	t. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG 1 and gray clay el(clear) TOPPED ON: This water well was 9-7-83 This Water We	3 Bento ft.	tt., From tt., F	om	t. In to ft. It ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	er my jurisdiction and was bywledge and belief. Kansas
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 9 1; 13 1; 17 1; 19 2; 23 5; 57 5; 57 5; 7 CONTRACTOR completed on (mo/ Water Well Contract under the business	AL: 1 Neat of From	From From cement .ft. to contamination: ral lines pool page pit LITHOLOGIC It wn sand brown grave brown sand gray grave gray grave gray grave en shale Si R'S CERTIFICATI	t. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG LOG 1 and gray clay el(clear) TOPPED ON: This water well was 9-7-83 This Water Well g Company	3 Bento ft. The second	tt., From tt., F	om	t. ITHOLOGI	of the fit. If th
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 9 1; 13 1; 17 1; 19 2; 21 2; 23 5; 57 5; 57 5; 7 CONTRACTOR completed on (mo/ Water Well Contract under the business INSTRUCTIONS: I	IAL: 1 Neat of rom	From From cement .ft. to contamination: ral lines pool page pit LITHOLOGIC It wn sand brown grave brown sand gray grave gray grave gray grave en shale Si R'S CERTIFICATI R'S CERTIFICATI Drillin point pen, PLEAS	t. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG LOG 1 and gray clay el(clear) TOPPED ON: This water well was 9-7-83 This Water Weg Company E PRESS FIRMLY and	3 Bento ft. The second was a second with the second was a second with the second was a second w	tt., From tt., F	om	lugged under to find the first of my known of the first of	er my jurisdiction and was owledge and belief. Kansas
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO 0 1 (9 1) 13 1' 17 13 17 13 17 13 17 15 19 2: 23 5: 57 5: 7 CONTRACTOR completed on (mo/ Water Well Contract under the business INSTRUCTIONS: If three copies to Kar	IAL: 1 Neat of rom	From From cement .ft. to contamination: ral lines s pool bage pit LITHOLOGIC lt wm sand wm silt wm sand brown grave cown sand gray grave gray grave en shale Si R'S CERTIFICATI R'S CERTIFICATI point pen, PLEAS lealth and Environm	t. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG LOG 1 and gray clay el(clear) TOPPED ON: This water well was 9-7-83 This Water Weg Company E PRESS FIRMLY and	3 Bento ft. The second was a second with the second was a second with the second was a second w	tt., From tt., F	om	lugged under to find the first of my known of the first of	of the fit. If th