WATER WELL RECORD	Form W	WC-5			r Resources App. N		
1 LOCATION OF WATER WELL:	Fraction	<b>9</b>		on Number	Township No.	Range Number	
County: Killy Street/Rural Address of Well Location	ME 1/4 SE 1/4 NE	direction	Globe	J. Positioning	T // S)		
from nearest town or intersection: If at owner's address, check here .				Global Positioning System (GPS) information:  Latitude:			
From Manhattan 60 To Drip Crite Rd. Thin				Longitude: (in decimal degrees)			
Go S. W. YMSUS TO Pry Cock Subdivision			Eleva	Elevation:			
2 WATER WELL OWNER: Rouge Collins		1	Datum: WGS 84, NAD 83, NAD 27 Collection Method:				
2 WATER WELL OWNER: Fract Ewing Rd. RR#, Street Address, Box #: 1961 Finds Rd. City, State, ZIP Code : 1961			GPS unit (Make/Model:)				
City, State, ZIP Code : 1761 Manha Stan, 165 66582				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL							
TATE OF A PART O	F COMPLETED WELI	L. 100	·,	ft.			
SECTION DOA:   Depth(s) Grot	SECTION BOX:   Depth(s) Groundwater Encountered (1). [.2.2.2						
N WELL'S STATIC WATER LEVEL. 136.1ft. below land surface measured on mo/day/yr							
EST. YIELD. 3. 2 gpm. Well water was							
WNW NE							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
Domestic							
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well							
S If yes, mo/day/yr sample was submitted							
1 mile  Water well disinfected?  Ves  No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glyed Clamped Welded Threaded							
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to							
Casing height above fand surface							
Steel Stainless Steel PVC Other (Specify)							
☐ Brass ☐ Galvanized Şteel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
☐ Continuous slot ☐ Mill slot 5 1000 Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)							
From ft. to ft., From ft. to ft.							
From							
From							
GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination: Nort Close							
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storag Watertight sewer lines Seepage pit Feedyard Fertilizer st							
Direction from well				ell			
The second secon	OGIC LOG	FROM	ТО			UGGING INTERVALS	
O L Top Soit		90	110	611 S	MU		
1 3 VELLOW SHALL		110,	116	Linkston	n		
3, 6 himistons		116	123	G14 5	MU	<i>(</i> (a)	
6 18 Villow Shill		125,	131	Lin 11 Too	VE WA	<del>/////</del>	
Ba Ul link Town	**************************************	136	148	Brown	SHOU		
111 62 60 Chall		140	139	LIMIS OF	2. Chall	Dack	
22 85 Christens	•	<i>1</i> 27	160	00, 8 01	4 3 110		
65 85 briv Shall							
25 90 lingstons						Prompt	
GONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, or plugged under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 4.5 This Water Well Record was completed on (mo/day/year)							
under the business name of 11 1 (444 0 114 0 114 by (signature)							
under the business name of							
(white, blue, pink) to Kansas Department of Hea	lth and Environment, Bureay	of Water, Ge	ology Secti	ion, 1000 SW J	ackson St., Suite 420	, Topeka, Kansas 66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							