KOLAR Document ID: 1598018

WATER WELL RE		WWC-5 ge in Well Use		ision of Water urces App. No.		Well ID		
1 LOCATION OF WA		Fraction		tion Number	Township Numb			
County:	TER WEEK	1/4 1/4 1/4	1/4		T S	R DE DW		
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
Business:		direction from 1	m nearest town or intersection): If at owner's address, check here:					
Address:								
Address: City:	State:	ZIP:						
3 LOCATE WELL		•						
WITH "X" IN	4 DEPTH OF CO							
SECTION BOX:	X: Depth(s) Groundwater Encountered: 1)			201810000				
N	2) ft. 3) ft., or 4) ☐ ☐ WELL'S STATIC WATER LEVEL:			Datum: WGS 84 NAD 83 NAD 27				
	below land surface, measured on (mo-day-yr)			Source for Latitude/Longitude: GPS (unit make/model:)				
NW NE				(WAAS enabled? ☐ Yes ☐ No)				
	Pump test data: Well water was ft.			☐ Land Survey ☐ Topographic Map				
W E	E after hours pumping gpi			Online Mapper:				
SW SE	Well water was ft.							
	after hours pumping gpi Estimated Yield:gpm			6 Elevatio	n :ft.	. ☐ Ground Level ☐ TOC		
S	Bore Hole Diameter: in. to			Source:				
mile					Other			
7 WELL WATER TO BE USED AS:								
1. Domestic: 5. ☐ Public Water Supply: well ID								
Household	<u> </u>				11. Test Hole: well ID			
Lawn & Garden	— 1 &			☐ Cased ☐ Uncased ☐ Geotechnical				
Livestock 2. Irrigation	<u> </u>			12. Geothermal: how many bores?				
3. ☐ Feedlot				b) Open Loop Surface Discharge Inj. of Water				
4. ☐ Industrial	Recovery							
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:								
Water well disinfected? \square Yes \square No								
8 TYPE OF CASING U		/C	CASIN	IG JOINTS: [☐ Glued ☐ Clamped	l 🗌 Welded 🔲 Threaded		
Casing diameter in. to ft., Diameter ft., Diameter ft.								
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
Nearest source of possible contamination: No potential source of contamination within 200 ft. ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
Other (Specify)								
Direction from well? Distance from well? ft.								
10 FROM TO	LITHOLO	GIC LOG	FROM	TO LI	THO. LOG (cont.) or	PLUGGING INTERVALS		
			Notes:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year)								
Kansas Water Well Contractor's License No								
under the business name of								
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212								