

1 LOCATION OF WATER WELL: County: Riley Fraction  $\frac{1}{4}$  SW  $\frac{1}{4}$  SE  $\frac{1}{4}$  Section Number 6 Township Number 11 S Range Number 8 E

Distance and direction from nearest town or city street address of well if located within city? From Manhattan Go 4 miles south on Highway 66 & turn 60 ft. mile south on River Road

2 WATER WELL OWNER: TIM SEASTEDT  
RR#, St. Address, Box #: RR#2 BOX 298  
City, State, ZIP Code: Manhattan, Kansas 66502

Board of Agriculture, Division of Water Resources  
Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N			
W	SW	SE	E
S			

4 DEPTH OF COMPLETED WELL: 100 ft. ELEVATION: 34 ft.

Depth(s) Groundwater Encountered 1. 34 ft. 2. 30 ft. below land surface measured on mo/day/yr

WELL'S STATIC WATER LEVEL 30 ft. below land surface measured on mo/day/yr

Pump test data: Well water was 2 gpm: Well water was 8 in. to 100 ft. after 100 hours pumping 2 gpm

Bore Hole Diameter 8 in. to 100 ft. and 100 in. to 100 ft.

WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	6 Oil field water supply	8 Air conditioning	11 Injection well
2 Irrigation	4 Industrial	7 Lawn and garden only	9 Dewatering	12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>Welded</u> Clamped <u>Sealed</u>
2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)	
Blank casing diameter <u>5</u> in. to <u>100</u> ft. Dia	7 Fiberglass			Threaded <u>Sealed</u>
Casing height above land surface <u>2</u> in., weight <u>50</u> lbs./ft. Wall thickness or gauge No. <u>40</u>				

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
SCREEN OR PERFORATION OPENINGS ARE:				12 None used (open hole)
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
SCREEN-PERFORATED INTERVALS:				10 Other (specify)
From <u>3.5</u> ft. to <u>4.5</u> ft.				
From <u>9.0</u> ft. to <u>100</u> ft.				
GRAVEL PACK INTERVALS:				
From <u>15</u> ft. to <u>100</u> ft.				
From <u>15</u> ft. to <u>100</u> ft.				

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 5 ft. to 15 ft. From 15 ft. to 100 ft.

What is the nearest source of possible contamination: None Close

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	15	Brown Shale			
15	17	Shale			
17	34	Rock & yellow clay			
34	41	Black Shale			
41	46	Grey Shale			
46	49	Rock			
49	58	Grey Shale			
58	87	Rock			
87	100	Grey Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/28/85 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 451 This Water Well Record was completed on (mo/day/yr) 10/28/85 under the business name of Holden Well Drilling by signature Craig Hall

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.