		WATE	R WELL RECORD	Form WWC	-5 KSA 82a	-1212			
LOCATION OF V	VATER WELL:	Fraction		s	ection Number	Township N	lumber	Range Number	
County: Dickin	son	SE 14	NE 1/4 N	JE 1/4	36	т 12	S	] R 1 E/W/*	
Distance and direct	ion from nearest to	wn or city street a	ddress of well if located	d within city	?				
4 1/8 mil	es South of	Talmage, Ka	nsas						
2 WATER WELL	owner: Robei	rt Hiebert							
RR#, St. Address,	Box # : 415	NE 9				Board of	Agriculture,	Division of Water Resource	
	de : Abile						n Number:		
LOCATE WELL'S	LOCATION WITH	4 DEPTH OF C	OMPLETED WELL	56	ft. ELEVA	ATION:			
AN "X" IN SECT	TON BOX:	Depth(s) Ground	water Encountered 1	25.	ft. :	2	ft. :	3	
I I								8 / 10 / 95	
	! *	Pum	p test data: Well wate	rwas	ft. a	after	hours n	umping gpm	
NW -	NE	Est. Yield 1	5. <del>t.</del> . gpm: Well wate	rwas	ft . a	after	hours o	umping gpm	
•   i		Bore Hole Diam	eterin. to	5	6 ft	and	ir	n. to	
₩ <del> </del>	- E	WELL WATER				8 Air conditionin			
-	-	1 Domestic						Other (Specify below)	
sw -	SE	2 Irrigation						······································	
1 1 :								s, mo/day/yr sample was sub	
1	<del> </del>	mitted	basis is is given but in pio	dominiod to		ater Well Disinfect		•	
TYPE OF BLAN	K CASING USED:		5 Wrought iron	8 Con	crete tile			od* Clamped	
1 Steel	3 RMP (S	R)	6 Asbestos-Cement		er (specify below			ded	
2 PVC	4 ABS	,	7 Fiberglass					aded	
		in to 56		in	to	# Dia	11110	in. to ft.	
Casing height abov	e land surface	20	in weight		lbe	/ft Mall thickness	or gougo b	in. το π. io•214	
	OR PERFORATIO		, woight	7 F			bestos-cem		
1 Steel			5 Fiberglass		RMP (SR)				
1 Steel 3 Stainless steel 2 Brass 4 Galvanized steel			6 Concrete tile 9 ABS		` ,	11 Other (specify)			
	ORATION OPENIN			ed wrapped		8 Saw cut	٠.	•	
1 Continuous		fill slot		wrapped wrapped	-	9 Drilled holes		11 None (open hole)	
2 Louvered st		ey punched	7 Torch				4.0		
	ATED INTERVALS:				4 5.0				
OOTILETY'T ETH OTH	TIED HTTEHTAEO.	From	ft to		# Fro	m		toπ.	
GRAVE	PACK INTERVALS:	From	20 ft to	56	ft Fro	m		toπ.	
GIFTEE	AON INTERVALO.	From							
GROUT MATER	IAL: 1 Neat		2 Cement grout				11.	to ft.	
_			•	<u>5 Dei</u>	to.	# From		ft. to	
			11., 110111						
What is the nearest source of possible contamination  1 Septic tank  4 Lateral lines			7 Pit privy			10 Livestock pens		14 Abandoned water well	
2 Sewer lines 5 Cess pool									
	ewer lines 6 Seep	•	8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage				
Direction from well?	DIROCO	WILL BE	9 Feedyard			-			
FROM TO	1	LITHOLOGIC	LOG	FROM	How ma			NTERVALS	
0 3	BROWN SA	NDY CLAY		1110141	1-10	•	<u> </u>	MILITALO	
3 6	BROWN CL				+				
6 8	RED CLAY				1				
8 12	LITE COL								
12 24		LEY LITE CO	TOD CT NV		1				
24 28									
	L	OR HARD LIM	IPOTONE	<del></del>	<del></del>				
28 39	I .	LE & CLAY		-	-				
39 41		Y LIMESTONE			<del>                                     </del>				
41 45		LE & CLAY							
45 56	RED CLAY	& SHALE			-				
					1				
					-				
					1				
				<del> </del>	-				
				<b>_</b>					
								der my jurisdiction and was	
completed on (mo/d	ay/year)8 . /1	10. /95		· · · · · · · · · · · · ·	and this reco	rd is true to the be	est of my kn	owledge and belief. Kansas	
Water Well Contract	tor's License No		This Water We	ell Record v	as completed	on (mo/day/yr) 8	16351	. 95	
under the business	name of CENTR	AL KANSAS I	DRILLING		by (signat	ture) Flace	dh, 7	futh	
			<u>IRMLY</u> and <u>PRINT</u> clearly. Plea 0-0001. Telephone: 913-296-55		, underline or circle	the correct answers.	Send top three	copies to Kansas Department	