14110000	01105111	DWE''		ER WELL RECORI	D Form V		KSA 82a-1				
	ION OF WATE		Fraction	SE ¼	NE .		tion Number			Range Number	
County:		enson		SE ½ Idress of well if loa			12	T 12	<u> </u>	R 1	E
Distance ar	ia direction iro	m nearest town	or city street ac	2938 Main S			Cansas				
2 WATER	WELLOWNE	R Farmer	s Cooperati	ve Associat							
		: 2958 Ma						Board of Arriv	sultura Dis	ision of Water Bosses	Ircan
				n				-		ision of Water Resou	rces
LI OCATI	FWFLL'S LOC	CATON WITH	e, RS 0/-/1	<u> </u>	<del></del>	<del></del>		Application No	umber:	<del> </del>	
3 AN "X" I	N SECTION B	OX:	DEPTH OF C	OMPLETED WE	LL	25	ft. ELEV	ATION:			
		Ţ.	 Depth(s) Ground	lwater Encountere	ed 1	N	A ft.	2	ft.	3	Ft.
	N -	·	WELL'S STATIC	WATER LEVEL	NA	ft,	below land s	urface measured	on mo/dav/	/yr	
↓		<del></del>								oumping (	
	i i									pumping (	
	NW <b>-</b>	NE	Bore Hole Diame	eter 8.625 i	In to 25			Ft and	ir	n to	Ft
∦ w L	ļ	<b>K</b>	WELL WATER 1	O BE USED AS:	5 Public	water si	apply	8 Air conditio	ning 1	n. to 1 Injection well 2 Other (Specify belo	`"
<del>-</del>		!	1 Domestic	3 Feed lot	6 Oil fiel	d water	supply	9 <u>Dewatering</u>	1:	2 Other (Specify below	ow)
<b> </b> _	sw	SE	2 Irrigation	4 Industrial	7 Lawn	and gard	len (domestic	) 10 Monitoring	well	MWT-6	
	3									, mo/day/yr sample w	vas
♦ L	i	1 1 1	Submitted	bactoriological ca	inplo odbiii					No X	
5 TVPE O	E DI ANK CAS	ING USED:		5 Wrought Iro	n 8	Concre				d Clamped	-
1 St		3 RMP (S		6 Asbestos-C							
			TV)						AA GIO	led Y	
2 <u>PV</u>	'C	4 ABS		7 Fiberglass					I hrea	aded X	
Blank casin	g diameter	2	In. to 15	Ft., Dia		ln. t	0	ft., Dia		in. to	ft.
Casing heir	tht above land	surface	FLUSH	in weight	SCH	40	Lhe /ft	Wall thickness or	r gauge No	·	·- ·-
		ERFORATION		, woigin		7	PVC	10 Asbe	estos-ceme	·	
1 Ste		3 Stainles		5 Fiberglass		 8	RMP (SR)	11 Othe	r (snecify)		
2 Bra			zed steel	6 Concrete til	le	9	ABS	12 None	e used (ope	en hole)	
SCREEN C	R PERFORAT	TON OPENING	S ARE:	5		rapped		8 Saw cut	` '	11 None (open hole	e)
1 Co	ntinuous slot	3 N	fill slot	6	Wire wrap	ped		9 Drilled holes			
2 Lo	uvered shutter	4 K	ey punched	7	Torch cut			10 Other (spec	ify)		
SCREEN-P	ERFORATED	INTERVALS:	From	15 ft. to		25	ft. F	rom	ft. t	to	_ ft.
			From	ft. to			ft. F	rom	ft. t	to	Ft.
SAI	ND PACK INTI	ERVALS:	From	14 ft. to		25	ft. F	rom	ft. t	to	Ft.
			From					rom		lo	Ft.
6 GROUT	MATERIAL:	1 Neat ce	ment 2	Cement grout		3 Bent	tonite	4 Other			
				Ft.		Ft.					- 1
Grout Interv	als From3	0ft	. to1	From2	1	to	14	ft. From		ft. to	ft.
i e		e of possible co	ntamination:				10 Livest	ock pens	14 Aba	andoned water well	
1 Se	ptic tank		4 Lateral lines	7 Pi	it privy		11 Fuels	torage	15 <u>Oil</u>	well/ Gas well	
2 Se	wer lines		5 Cess pool	8 Se	ewage lago	on	12 Fertiliz	zer storage		ner (specify below)	
3 Wa	atertight sewer	lines 6	Seepage pit	9 Fe	eedyard		13 Insect	icide storage	Co	ntaminated Sit	е
Direction fro	m well?						How many t	feet?			
FROM	то	CODE	LITHOL	OGIC LOG		FROM	то	PLU	JGGING IN	NTERVALS	
0	5		, silty brow								
5	17		y, silty brow								
17	25	Clay	,, silty gray	, darker with	dep		ļļ.				
	ļ										$\dashv$
											$\dashv$
							<del> </del>				
							<del>                                     </del>				
			• .				+ +				
									•		
						,	<u> </u>			-	$\neg$
											-
7 CONTRA	ACTOR'S OR	LANDOWNER'								ler my jurisdiction and	
Completed	on (mo/day/yr)		10/1	8/04		And thi	s record is tr	ue to the best of n	ny knowled	lge and belief. Kansa	as
				585		This W	ater Well Red	cord was complete	ed on (mo/	day/yr) _11/12/0	)4
Under the h	usiness name	of	Associat		nental. li	1C.	Rv	(signature) Da	rin R D	uncan /\/20	n
INSTR	UCTIONS:. Ple	ase fill in blanks a	and circle the corr	ect answers. Send	three copies	to Kansa	as Department	of Health and Envi	ronment, Bu	reau of Water, Topeka,	, —
				one to WATER WEI							