WATE	R WELL	RECORD	Form WWC-	5	Division of Wate	r Resources; App. No.			
			Fraction		Section Number	Township Number	Range Number		
Coun			SE 1/4 SE 1/4 S		34	T 12 S	R 1E E/W		
		ection from nearest town or citity? 1/8 MILE WEST (-	g Systems (decimal de			
		ND 2500 AVE. NORT		LON	Latitude:				
2 WA	TER WEI	LOWNER: MIKE SAM	<u>п этрғ</u>						
RR#	St. Addre		OAVE.		Datum:				
	State, ZIP				Data Collection	Method:			
3 LOC	ATE WEI					wichiod.			
	LOCATION								
WIT:	HAN "X" IN Depth(s) Groundwater Encountered (1)40 ft. (2) ft. (3) ft.								
SEC	TION BO		TER LEVEL	2.1 ft	. below land surface	e measured on mo/day	//yr.01-30-06		
	N Pump test data: Well water was								
	Est. Yieldgpm: Well water wasft. afterhours pumpinggpm								
	WELL WATER TO BE USED AS: 5 Public water supply WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feedlot 6 Oil field water supply Dewatering 11 Injection well Dewatering 12 Other (Specify below)								
w	W E Domestic 3 Feedlot 6 Off field water supply 9 Dewatering 12 Other (specify below) 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
'	_ '	T TUESMOOT	district / Bornestr	c (lawii c	z garden) 10 moi	moring wen			
SW	/ SE -	Was a chemical/bacteriological sample submitted to Department? Yes No .x; If yes, mo/day/yrs							
	Sample was submitted								
	S								
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: GluedX Clamped									
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded									
Blank casing diameter									
Casing height above land surface24									
		REEN OR PERFORATION MATERIAL: 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot • 025 5. Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From35									
			Threaded						
	6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
	Grout Intervals: From1 ft. to25 ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination: 1. Septio tank 1. Sept									
i .	Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below) Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil wll/gas well								
FROM	TO	LITHOLOGIC	LOG	FROM	ТО	PLUGGING INT	ERVALS		
0	2	TOP SOIL BLACK							
2	22	CLAY BROWN SILTY	Υ						
22	36	CLAY BLACK STICE	KY						
36	57	SHALE GRAY WITH	MANY LAYERS	····					
		OF LIMESTONE							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged									
under my jurisdiction and was completed on (mo/day/year) .0.13006. and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No388 This Water Well Record was completed on (holday/year) 0.1 3.0 0.6									
Under the business name of PESTINGER PUMP SERVICE by (signature) Out Market Services									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, under the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-									
296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.									