				R WELL REC	ORD For	m WWC-5	KSA 82a-1	212		
	ON OF WATER						tion Number		Rang	ge Number
	Dicki		SE ¼				12		R	1 E
Distance and	d direction fron	n nearest	town or city street add				aga Kans	26		,
Farmers Coop Association, Talmage, Kansas 2 WATER WELL OWNER: Talmage Cooperative Association										
			Main Street	- A3300	auton			Board of Agriculture	Division of We	stor Bosouroos
City State "	ZID Codo	Talm	1200 Ks 67482					Application Number:		alei Nesources
LOCATE	WELL'S LOC	ATON WI	TII							
3 AN "X" IN	SECTION BO	DX:	DEPIROF C	OMPLETED	WELL	28	ft. ELE\	/ATION:		
			Depui(s) Groundy	vater Encoun	rerea m.o_		π	. Z	ռ. ૩	
	N		WELL'S STATIC	WATER LEV	EL	ft.	below land s	urface measured on mo	/day/yr	
·			Pump	test data:	Well water	was	F	t. after ho	urs pumping	Gpm
	NW	- NF	Est. Yield	Gpm: \	Nell water v	was	F	t. after Ho	urs pumping	Gpm
	N.V		Bore Hole Diamet	er 8.625	In. to	2	3	Ft. and	in. to	Ft.
₩ W 💻		X	E WELL WATER TO	D BE USED A	AS: 5 Pu	blic water s	upply	Ft. and 8 Air conditioning 9 Dewatering	11 Injection	well
7	1			4 Industria		nelo water	supply	9 Dewatering		specify below)
	sw	- SE	2 Irrigation					o) 10 Monitoring well		
. ↓ .	. i I	i I	!	acteriologica	i sample su	bmitted to		Yes No X		1
<u> </u>			Submitted					ter Well Disinfected? Ye		
	F BLANK ĈASI			5 Wrough			ete tile			Clamped
1 Ste		_	P (\$R)			9 Other	(specify belo	·	Nelded	
2 PV	<u> </u>	4 ABS	S	7 Fibergla	SS				Threaded	X
Blank casino	diameter	2	in. to 18	Ft., Dia		In i	'n	Ft., Dia	in to	#
Casing heigh	bt above land s	surface	FLUSH	n weight	SC	H 40	l bs/ft	Wall thickness or gaug	a No	
			ION MATERIAL:	,		7		10 Asbestos-		
1 Ste		3 Sta	inless steel	5 Fibergla	SS		RMP (SR)			
2 Bra		4 Gal	vanized steel	6 Concret			ABS	11 Other (spe 12 None used	(open hole)	
SCREEN OF	R PERFORATI				5 Gauze				11 None	
1 Cor	ntinuous slot		3 Mill slot		6 Wire w	rapped		9 Drilled holes		
2 Lou	vered shutter		4 Key punched		7 Torch o			10 Other (specify)		
SCREEN-PE	ERFORATED I	INTERVAL						rom		
			From	ft	. to		ft. F	rom	_ft. to	Ft.
SAN	ID PACK INTE	RVALS:				25	ft. F	rom	ft. to	Ft.
<u></u>			From		. to			rom	ft. to	
GROUT	MATERIAL:	1 Ne	at cement 2		t		tonite	4 Other		
Grout Interva	als From3	16	ft. to 3	Ft. From2	3	Ft. to	0	ft. From	ft. to	ft.
			le contamination:				10 Lives		Abandoned w	
1 Sep	otic tank		4 Lateral lines	7	Pit privy		11 Fuels		Oil well/ Gas	well
2 Sev	ver lines		5 Cess pool	8	Sewage la	agoon	12 Fertili	zer storage 16	Other (specify	y below)
3 Wat	tertight sewer I	ines	6 Seepage pit	9	Feedyard		13 Insec	ticide storage	Contamina	ated Site
Direction fro	m well?						How many	feet?		
FROM	ТО	CODE	LITHOLO	OGIC LOG		FROM	TO	PLUGGIN	IG INTERVALS	3
0	3		Silty Clay							
3	13		Clayey silt with							
13	19		Clayey Silt with		sand					
19 21	21 28		Silty Sand, yello	W		<u></u>	-			
28	TD		Clay, brown End of Borehole	<u> </u>						
			a or boronole	·			+ +			
		-								
							-			
7 CONTRA	CTOR'S OR I	ANDOWN	ER'S CERTIFICATIO	N: This water	er well was	(x) constru	ated, (2) reco	nstructed, or (3) plugged	under my juris	diction and w
	on (mo/day/yr)		17					ue to the best of my kno		
	Contractor's Lic			585				cord was completed on		
	siness name o		Associate		nmental			y (signature) Bradle		
							as Departmen	t of Health and Egyironme	Bureau of Via	ter, Topeka.
Kansas	66620-0001. Te	elephone:	913-296-5545. Send or	e to WATER	WELL OWN	ER and retai	n one for your	records.		tor, ropeka,
								want	775	