WATER WELL RECORD Form WWC-5	Division of Water Resources; App. No.
1 LOCATION OF WATER WELL: Fraction County: Dickinson NE 1/4 NE 1/4 SE Distance and direction from nearest town or city street address of well	Section Number   Township Number   Range Number
Distance and direction from nearest town or city street address of well	if Global Positioning System (decimal degrees, min. of 4 digits)
located within city? 2349 Fair Rd, Abilene, KS 67410	Latitude: N 38.93342 Longitude: W 96.25877°
2 WATER WELL OWNER: KDHE	Elevation: RIM: 1251.21; TOC: 1253.63
RR#, St. Address, Box # : 2025 Flint Rd.	Datum: NAVD 29
City, State, ZIP Code : Emporia KS 66801	Data Collection Method: legal survey
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 48	.05 ft.
LOCATON	MW1R
WITH AN "X" IN Depth(s) Groundwater Encountered 1	ft. 2 ft. 3 ft. 3
N Pump test data: Well water was	ft. after hours pumping gpm ft. after hours pumping gpm
Est. Yield gpm: Well water was	II. after flours pullipring gpin
WELL WATER TO BE USED AS: 5 Pub	ic water supply 8 Air conditioning 11 Injection well supply 9 Dewatering 12 Other (Specify below)
W	n & garden) (10) Monitoring well
	ii & gaiden) To Monitoring won
SW SE - XX	mitted to Department? Yes No X; If yes, mo/day/yrs
Sample was submitted	Water Well Disinfected? Yes No X
5 TYPE OF CASING USED: 5 Wrought Iron 8 C	oncrete tile CASING JOINTS: Glued Clamped
1 Steel 2 DMD (SD) 6 Ashestos-Cement 9 O	ther (specify below) Welded
PVC 4 ABS 7 Fiberglass  Blank casing diameter 2 in. to 33.05 ft., Dia  Casing height above land surface 2.42 ft., Weight	Threaded X
Blank casing diameter 2 in. to 33.05 ft., Dia	in. to ft., Dia in. to ft.
Casing height above land surface 2.42 ft., Weight	lbs./ft. Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL:	o (PG
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR)	9 ABS 11 Other (specify)  10 Ashartas Cement 12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:	10 Asbestos-Cement 12 1volic used (open note)
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7	Torch cut 9 Drilled holes 11 None (open hole)
2 Louvered shutter 4 Key punched 6 Wire wrapped 8	Saw Cut 10 Other (specify)
SCREEN OR PERFORATION OPENINGS ARE:  1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 SCREEN-PERFORATED INTERVALS: From 33.05 ft.	to 48.05 ft. From ft. to ft.
From ft.	to ft. From ft. to tt.
GRAVEL PACK INTERVALS: From 28 ft.	to 45 ft. From tt. to tt.
From ft.	to ft. From ft. to ft. to ft. to ft. to ft. From ft. to ft.
6 CROUT MATERIAL: 1 Neat cement 2 Cement grout (3 Bentonite (4) Other Concrete: 0-1 ft	
Grout Intervals From 1 ft. to 28 ft. From ft. to ft. From ft. to ft. From ft. to	
What is the nearest source of possible contamination:	
	ivestock pens 13 Insecticide Storage 16 Other (specify led storage 14 Abandoned water well below)
	uel storage 14 Abandoned water well below) ertilizer storage 15 Oil well/ gas well
5 Witteringht be well limited to beep age part is a stary	many feet? ~90ft
11(01)1	ROM TO PLUGGING INTERVALS
0 30 Grass on top; brown silty clay	
30 45 Tan silty clay	
	Stick up well. 3.05ft above ground surface
	Suck up wen. 5.0511 above ground surface
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:	This water well was U constructed, (2) reconstructed, or (3) plugged
lunder my jurisdiction and was completed on (mo/day/year) 10/10/13 and this record is true to the sect of my knowledge and belief.	
Kansas water wen Contractor's Literise No	
under the business name of Larsen & Associates, Inc. by (signature)  INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Teath at Environment, Bureau of Water,  The phone 785 296 5522 Send one to WATER WELL OWNER and retain one for	
1 Geology Section 1000 CW Jackson St. Shife 470 100eka Kansas 00012-1007. I Globiolic 703-230-3322. Solid olio de 17 februario de 201	
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.	