

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: WABAUNSEE		NE ¼ NE ¼ NE ¼		3		T 12S S		R 10E E/W	
Distance and direction from nearest town or city street address of well if located within city? 1½ north of Alma									
2 WATER WELL OWNER: Tim Mikey									
RR#, St. Address, Box # : Rt. 1 Box AA 183					Board of Agriculture, Division of Water Resources				
City, State, ZIP Code : Alma, KS 66401					Application Number:				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:				4 DEPTH OF COMPLETED WELL: 120' ft. ELEVATION:					
				Depth(s) Groundwater Encountered 1. 50' ft. 2. ft. 3. ft.					
				WELL'S STATIC WATER LEVEL . 40' ft. below land surface measured on mo/day/yr . 2-8-96					
				Pump test data: Well water was ft. after hours pumping gpm					
				Est. Yield . 2 gpm: Well water was ft. after hours pumping gpm					
				Bore Hole Diameter . 8 3/4 in. to ft., and in. to ft.					
				WELL WATER TO BE USED AS:					
				5 Public water supply		8 Air conditioning		11 Injection well	
				1 Domestic		3 Feedlot		6 Oil field water supply	
				2 Irrigation		4 Industrial		7 Lawn and garden only	
						9 Dewatering		12 Other (Specify below)	
				10 Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes X No									
5 TYPE OF BLANK CASING USED:									
1 Steel		3 RMP (SR)		5 Wrought iron		8 Concrete tile		CASING JOINTS: Glued X Clamped	
2 PVC		4 ABS		6 Asbestos-Cement		9 Other (specify below)		Welded	
				7 Fiberglass				Threaded	
Blank casing diameter . 5" in. to 0-40 ft., Dia . 5" in. to 60-118 ft., Dia . in. to ft.									
Casing height above land surface . 24" in., weight . 2.82 lbs./ft. Wall thickness or gauge No. . 258									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel		3 Stainless steel		5 Fiberglass		7 PVC		10 Asbestos-cement	
2 Brass		4 Galvanized steel		6 Concrete tile		8 RMP (SR)		11 Other (specify)	
						9 ABS		12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot		3 Mill slot		5 Gauzed wrapped		8 Saw cut		11 None (open hole)	
2 Louvered shutter		4 Key punched		6 Wire wrapped		9 Drilled holes			
				7 Torch cut		10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From . 118 ft. to . 120 ft., From . ft. to . ft.									
From . 40 ft. to . 60 ft., From . ft. to . ft.									
GRAVEL PACK INTERVALS: From . 24 ft. to . 120 ft., From . ft. to . ft.									
From . ft. to . ft., From . ft. to . ft.									
6 GROUT MATERIAL:									
1 Neat cement		2 Cement grout		3 Bentonite		4 Other			
Grout Intervals: From . 4 ft. to . 24 ft., From . ft. to . ft., From . ft. to . ft.									
What is the nearest source of possible contamination:									
1 Septic tank		4 Lateral lines		7 Pit privy		10 Livestock pens		14 Abandoned water well	
2 Sewer lines		5 Cess pool		8 Sewage lagoon		11 Fuel storage		15 Oil well/Gas well	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard		12 Fertilizer storage		16 Other (specify below)	
						13 Insecticide storage			
Direction from well? west How many feet? 120'									
FROM		TO		LITHOLOGIC LOG		FROM		TO	
0		18		Clay-Brown		100		104	
18		23		Shale-Yellow		104		120	
23		35		Shale-Grey					
35		37		Limestone-Yellow					
37		41		Shale-Grey					
41		42		Shale-Yellow					
42		43		Limestone-Tan					
43		46		Shale-Yellow					
46		52		LS-Y-Loose					
52		58		Limestone-Tan					
58		62		Limestone-Grey					
62		66		Shale-Grey					
66		83		Shaley LS-Grey					
83		89		Limestone-Grey					
89		100		Shaley LS-Grey					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2-8-96 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 182 This Water Well Record was completed on (mo/day/yr) 2-21-96 under the business name of STRADER DRILLING CO., INC. by (signature) Dale Askren									