| | | | WATE | R WELL RECORD | Form WWC-5 | KSA 82a | -1212 | | |
|---|---|---|---|--|--|-----------------------|--|--------------------------|------------------|
| _ | | TER WELL: | Fraction | | | tion Number | Township Numb | er Rar | nge Number |
| County: WABAUNSEE SW 1/4 Distance and direction from nearest town or city street add | | | | | SE ¼ | 22 | Т 12 | S R | 10 E/W |
| Distance a | nd direction | | - | ddress of well if local | ted within city? | | | | |
| | | | h of Alma | | | | | | |
| WATER | WELL OW | | Schmidt | | | | | | |
| RR#, St. A | Address, Box | <pre> # : Rt. </pre> | 1 | | | | Board of Agric | culture, Division of | Water Resource |
| | ZIP Code | | , KS 6640 | | | | Application Nu | | |
| LOCATE | WELL'S LO | | | | | | TION: | | |
| TYPE C 1 Ste 2 PV Blank casir Casing heir TYPE OF S 1 Ste 2 Bra SCREEN C 1 Coi | IN SECTION I I I I I I I I I I I I I I I I I I | CASING USED: 3 RMP (SF 4 ABS 5" And surface R PERFORATION 3 Stainless 4 Galvaniz RATION OPENING t 3 Mi | Depth(s) Ground WELL'S STATIO Pum Est. Yield1.2 Bore Hole Diam WELL WATER 1 Domestic 2 Irrigation Was a chemical/ mitted A) in. to0-5024! N MATERIAL: s steel ed steel GS ARE: iill slot | water Encountered WATER LEVEL . 4 p test data: Well wa gpm: Well wa eter . 8 . 3/4 . in. to TO BE USED AS: 3 Feedlot 4 Industrial bacteriological sample 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass ft., Dia in., weight 2 . 8 5 Fiberglass 6 Concrete tile 5 Gau 6 Wire | 160. ft. b g! ft. b ater was 5 Public wate 6 Oil field wa 7 Lawn and g submitted to D 8 Concret 9 Other 5." in. to 2 7 PV 8 RM 9 AB szed wrapped | elow land surft. a | face measured on months fter | ft. 3 | gpm |
| 2 Lou | vered shutt | er 4 Ke | ey punched | 7 Toro | ch cut | | 10 Other (specify) . | | |
| SCREEN-F | PERFORATE | ED INTERVALS: | | | | | m | | |
| | | | | | | | m | | |
| G | RAVEL PA | CK INTERVALS: | | | | | m | | |
| 1 | | | From | ft. to | | | m | | |
| | MATERIAL | | | 2 Cement grout | | | Other | | |
| | | _ | | π., From | n. | | ft., From | | |
| | | ource of possible | | 7 Dia | | | F | 14 Abandoned water well | |
| | | 4 Latera | | | 7 Pit privy | | • | 15 Oil well/Gas well | |
| 2 Sewer lines 5 Cess pool | | | • , | 8 Sewage lagoon | | 12 Fertilizer storage | | 16 Other (specify below) | |
| 3 Watertight sewer lines 6 Seepage pit | | | | 9 Feedyard | 9 Feedyard | | ticide storage | 001 | |
| Direction fr | | east | | 100 | T 50014 | How mai | ny feet? 180 | GING INTERVAL | |
| FROM | TO | G1 D | LITHOLOGIC | LOG | FROM | то | FLOG | GING INTERVAL | ა |
| 0 | $\frac{7}{9}$ | Clay-Brow | | | | | | | |
| 7 | 9 10 | Shale-Gre Limestone | | | | | | | |
| 10 | 14 | Shale-Rec | | | | | | | |
| 14 | 19 | Shale-Ye | | | | | | | |
| 19 | 21 | Limeston | | | | | | | |
| | 30 | | | | | l | | | |
| 21 | 33 | Shale-Ye | | | | | | | |
| 30 33 | 38 | Shale-Gre Shale-Ye | _ | | | | | | |
| 38 | 39 | | e-Yellow | | | | | | |
| 39 | 55 | Shale-Ye | | | | | | | |
| | 60 | | e-Yellow-Lo | 2000 | | | | | |
| 55 | 77 | | | | | | | | |
| 60 | 77 78 | | ey | | 1 | | | | |
| 77 | | | - | | | | | | |
| 78 I | 100 | | ey P'S CERTIFICAT | | was (1) const- | oted (2) rece | nstructed, or (3) plugg | ned under my had | iediction and wa |
| | | | | | | | instructed, or (3) plugg rd is true to the be <u>st</u> o | | |
| | | | | | | | on (mo/day/yr) 3. | | |
| | | | | | | | ture) | | |
| maer the t | Jusiness nar | III OI STRAI | NEK NKIPPII | NG CO., INC. | | by (signal | | wike | WY |

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.