WATER WELL RECORD	Form WWC-	5	Division of Wate	r Resources; App. No.	
1 LOCATION OF WATER WELL:	Fraction	S	lection Number	Township Number	
County: WA bannset Distance and direction from nearest town or olocated within city? From faxico to	ity street address of wa	11 : F CI	30		R E/W
located within city?	sity street address of we	II II GI		Systems (decimal deg	rees, min. of 4 digits)
Snokomo Rd 10 miles a	T Dial I	1	atitude:		
2 WATER WELL OWNER TAKES	3111000	—— <u> </u>	Longitude:		
2 WATER WELL OWNER: 34307 RR#, St. Address, Box # : 26168	Sackson	1	elevation:		
City, State, ZIP Code : ESK Cide	2000 VA 1 1 1 1 2	,	Datum:		
2211145	, KS 66423		Data Collection		
1	IPLETED WELL	.00	ft.		
LOCATION	er Encountered (1).	70	0 (0)	2 (2)	2
WITH AN "X" IN Depth(s) Groundwate	er Encountered (1).	7.7	. ft. (2)	ft. (3)	tt.
SECTION BOX: WELL'S STATIC W	ATER LEVEL40.	It. b	elow land surface	measured on mo/day	/yr
	ta: Well water was				
' WELL WATER TO	m: Well water was BE USED AS: 5 Publi				
NW NE A D	edlot 6 Oil field				
	dustrial 7 Domesti				
	idustriai / Domesti	c (lawli &	garden) 10 Mon	mornig wen	
SW SE Was a chemical/bacte	eriological sample subm	itted to De	enartment? Ves	(Na) .	If yes mo/day/yrs
Sample was submitte	d	Water	well disinfected?	No.	ii yes, moraayryis
S Sample was submittee	u	· Water	won distincted.	110	••••
	. I 0. C	4- 4:1-	CACINI	C IODITC. Cl., 1	C11
5 TYPE OF CASING USED: 5 Wrought					Clamped
1 Steel 3 RMP (SR) 6 Asbeston	s-Cement 9 Other	(specify b	elow)	Weided	
Blank casing diameter 5 in to 60. Casing height above land surface 36.	f Diamatar	in	to ft	Diamatar	in to ft
Casing height above land surface	in Weight	111.	vs./ft Wall thi	ckness or guage No	
TYPE OF SCREEN OR PERFORATION MAT	FRIAI:		os./1t. wan un	ckness of guage no.	
1 Steel 3 Stainless Steel 5 Fibe	erolass PVC	9 A P	22	11 Other (Specify)	
1 Steel 3 Stainless Steel 5 Fibe 2 Brass 4 Galvanized Steal 6 Con	crete tile 8 RM (SR)	10 As	shestos-Cement	12 None used (onen	hole)
SCREEN OR PERFORATION OPENINGS AR	E:	, 1011		12 I tolle asea (open	11010)
1 Continuous slot		orch cut	9 Drilled holes	11 None (open ho	ole)
2 Louvered shutter 4 Key punched 6 V				y)	
SCREEN-PERFORATED INTERVALS: From	ft. to	. IO	ft., From	ft. to	ft.
From	ft. to		ft., From	ft. to	ft.
GRAVEL PACK INTERVALS: From	ft. to	80	ft., From	ft. to	ft.
From	ft. to		ft., From	ft. to	ft.
6 GROUT MATERIAL: 1 Neat cement 2	Comont amount Boar	tomito 1	Othor		
Grout Intervals: From S ft. to	Cement grout Ber	itonite 4	to fi	t Erom	ft to ft
What is the nearest source of possible contamina		II	. 10 11	, FIOIII	11. 1011.
1 Septic tank 4 Lateral lines		0 Livestoc	k none 13 Inc	secticide Storage	60ther (specify
2 Sewer lines 5 Cess pool		1 Fuel stor		pandoned water well	below)
3 Watertight sewer lines 6 Seepage pit	2 2	2 Fertilize	_	l well/gas well	Pend
Direction from well?					
FROM TO LITHOLOGI		FROM	ТО	PLUGGING INT	
0 1 Too Sall	0.200	1110111	-10	TEOGORIO IIVI	
1 11 20 000	le .				
16 19 Limestone					
19 de Brown shell	<u> </u>				
14 ale troop shell		,	-		
16 19 Limestone 10 26 Brown shell 26 31 Limestone 27 Gry Oily shell				·	
31 74 STOWN 5hell	l1	, ,			
THE TATE OF THE PARTY OF THE PA	\				
77 X3 Lime Stone					
83 100 grey ony shell			+		
7 CONTRACTORIS ON LANDOWNERS C	EDTIFICATION. T		oll wo	moted (2) man	ad an (2) ml 1
7 CONTRACTOR'S OR LANDOWNER'S C					
under my jurisdiction and was completed on (mo					
Kansas Water Well Contractor's License No under the business name of				on (mo/day/year)	To dot
INSTRUCTIONS: Use typewriter or ball point pen. PLE	ASE PRESS FIRMLY and P	RINT clearly	(signature)	underling or cities the or	orrect answers Sand to
three copies to Kansas Department of Health and Environment	ent, Bureau of Water Geolog	y Section, 10	000 SW Jackson St., S	Suite 420, Topeka, Kansas	66612-1367. Telephone
785-296-5522. Send one to WATER WELL OW	NER and retain one for	your reco	ords. Fee of \$5.0	00 for each constructed	l well. Visit us a
http://www.kdhe.state.ks.us/geo/waterwells.					