

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

1 LOCATION OF WATER WELL: County: WABAUNSE, Fraction: SW 1/4 SW 1/4 SW 1/4, Section Number: 21, Township Number: T 12 S, Range Number: R 12 EW. Distance and direction from nearest town or city street address of well if located within city? FROM KEENE: 2 MILES NORTH, 3 3/4 MILES WEST. Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: 38-97159, Longitude: 96-08067, Elevation: 1245, Datum: , Data Collection Method: .

2 WATER WELL OWNER: MR. JAMES BENNETT, RR#, St. Address, Box #: 17245 MISSILE BASE RD., City, State, ZIP Code: ESKADIBE, KS 66423. 3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Section box diagram with 'X' in SW corner]. 4 DEPTH OF COMPLETED WELL: 100 ft. Depth(s) Groundwater Encountered (1) 35 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL: 22 ft. below land surface measured on mo/day/yr. 7/27/07. Pump test data: Well water was ft. after hours pumping gpm. Est. Yield: 4 gpm. Well water was ft. after hours pumping gpm. WELL WATER TO BE USED AS: 1 Domestic, 3 Feedlot, 6 Oil field water supply, 8 Air conditioning, 9 Dewatering, 10 Monitoring well, 11 Injection well, 12 Other (Specify below). Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr. Sample was submitted. Water well disinfected? Yes X No.

5 TYPE OF CASING USED: 1 Steel, 3 RMP (SR), 5 Wrought Iron, 8 Concrete tile, CASING JOINTS: Glued X, Clamped, Welded, Threaded. Blank casing diameter: 5 in. to 100 ft., Diameter. Casing height above land surface: 24 in., Weight lbs./ft., Wall thickness or guage No. SAR 2-1. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel, 3 Stainless Steel, 5 Fiberglass, 7 PVC, 9 ABS, 11 Other (Specify). SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot, 6 Mill slot, 5 Gauzed wrapped, 7 Torch cut, 9 Drilled holes, 11 None (open hole). SCREEN-PERFORATED INTERVALS: From 20 ft. to 40 ft. GRAVEL PACK INTERVALS: From 18 ft. to 60 ft.

6 GROUT MATERIAL: 1 Neat cement, 2 Cement grout, Bentonite, 4 Other. Grout Intervals: From 0 ft. to 18 ft. What is the nearest source of possible contamination: 1 Septic tank, 4 Lateral lines, 7 Pit privy, 10 Livestock pens, 13 Insecticide Storage, Other (specify below) HANDED WELL. Direction from well? WIP ST. How many feet? 75.

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows: 0-11 CLAY, BROWN; 11-40 WEATHERED SHALE, TAN, H2O; 40-42 LAMARSTONE; 42-83 SHALE, GRAY; 83-84 LAMARSTONE; 84-100 SHALE, GRAY.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/27/07 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 760. This Water Well Record was completed on (mo/day/year) 10/18/07 under the business name of ASSOCIATED DRILLERS INC by (signature).

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.