

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

change elev.

Vid

AAB WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

312 hours on well

1. Location of well:		County WABAUWSEE	Fraction NW NE NE SW 1/4 SW 1/4 SW 1/4 1/4	Section number 20	Township number 12	Range number 13	EW
2. Distance and direction from nearest town or city: 2.5 W 2 N			3. Owner of well: Gale Blythe				
Street address of well location if in city: OF DOVER, KS.			R.R. or street: City, state, zip code: MAPLE HILL, KS.				
4. Locate with "X" in section below:		Sketch map:			6. Bore hole dia. 12 in. Completion date _____		
		<p>Pond</p> <p>○ - 100' - X well</p>			Well depth 36 ft. 6-4-77		
					7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug		
					<input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
					8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry		
					<input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock		
					<input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
					9. Casing: Material PVC Height: <u>Above</u> or below		
					Threaded _____ Welded _____ Surface 24 in.		
					RMP _____ PVC 91 Weight 2.58 lbs./ft.		
					Dia. 5 in. to 36 ft. depth Well thickness: inches or		
					Dia. _____ in. to _____ ft. depth gage No. 258		
5. Type and color of material		From	To	10. Screen: Manufacturer's name _____			
TOP SOIL		0	4	PUMPCO			
Clay, BROWN		4	11	Type PVC Dia. 5			
FINE SAND		11	30	Slot/gauze 1020 Length 20			
Limestone		30	36	Set between 15 ft. and 35 ft.			
				_____ ft. and _____ ft.			
				Gravel pack? <input checked="" type="checkbox"/> Size range of material: 0.30 x 0.60			
				11. Static water level: _____ mo./day/yr.			
				10 ft. below land surface Date 6-4-77			
				12. Pumping level below land surfaces:			
				_____ ft. after _____ hrs. pumping _____ g.p.m.			
				_____ ft. after _____ hrs. pumping _____ g.p.m.			
				Estimated maximum yield 20 g.p.m.			
				13. Water sample submitted: _____ mo./day/yr.			
				Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Date _____			
				14. Well head completion: CAP			
				<input type="checkbox"/> Pitless adapter 24 inches above grade			
				15. Well grouted? <input checked="" type="checkbox"/>			
				With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete			
				Depth: From 0 ft. to 10 ft.			
				16. Nearest source of possible contamination:			
				ft. 100 Direction W Type DRAINAGE			
				Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
				17. Pump: <input checked="" type="checkbox"/> Not installed			
				Manufacturer's name _____			
				Model number _____ HP _____ Volts _____			
				Length of drop pipe _____ ft. capacity _____ g.p.m.			
				Type:			
				<input type="checkbox"/> Submersible <input type="checkbox"/> Turbine			
				<input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating			
				<input type="checkbox"/> Centrifugal <input type="checkbox"/> Other			
18. Elevation: 1100'		19. Remarks: OWNER TO INSTAL SLAB					
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley							
		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. STRADER DRNG CO INC 182 Business name License No. _____ Address RT1 HOLTAN, KS Signed Dale Ashum Date 6-6-77 Authorized representative					

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

BR = 1080
1070

▽ = 1100

123
130
20
500-50-500
1/4 1/4 1/4