


1 LOCATION OF WATER WELL: Fraction NE 1/4 NE 1/4 NE 1/4 Section Number 25 Township Number T 12 S Range Number R 14 E
 County: Shawnee

Distance and direction from nearest town or city street address of well if located within city?
4545 Indian Hills Topeka, KS 66614

2 WATER WELL OWNER: Matt Strathman 12-150' BORES
 RR#, St. Address, Box # : 7637 SW 37th Board of Agriculture, Division of Water Resources
 City, State, ZIP Code Topeka, KS 66614 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL 150 ft. ELEVATION:
 Depth(s) Groundwater Encountered 1 NONE ft. 2 ft. 3 ft.
 WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield NONE gpm: Well water was ft. after hours pumping gpm
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yrs sample was sub-
 mitted Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
 1 Steel 3 RMP (SR) 6 Asbestos-Cement Other (specify below) Welded FLSIOA
 2 PVC 4 ABS 7 Fiberglass H.D. Polyethylene Threaded
 Blank casing diameter in. to 150 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface 40 in., weight SDR 11 160 PSI lbs./ft. Wall thickness or gauge No.
 TYPE OF SCREEN OR PERFORATION MATERIAL: NONE 7 PVC 10 Asbestos-Cement
 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 Other (Specify)
 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: NONE 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) ft.
 SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 150 ft. to 3 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination: NONE 10 Livestock pens 14 Abandoned water well
 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage
 Direction from well? How many feet?

| FROM | TO | LITHOLOGIC LOG | FROM | TO | PLUGGING INTERVALS |
|------|-----|-----------------|------|----|-----------------------|
| 0 | 5 | Clay | | | |
| 5 | 10 | Weathered shale | | | |
| 10 | 17 | gray shale | 150 | 3 | High solids Bentonite |
| 17 | 19 | Limestone | | | |
| 19 | 24 | Shale | | | |
| 24 | 27 | Limestone | | | 12-150' BORES Plugged |
| 27 | 35 | Shale | | | |
| 35 | 57 | Sandstone | | | |
| 57 | 83 | Shale | | | |
| 83 | 87 | Limestone | | | |
| 87 | 131 | Shale | | | |
| 131 | 140 | Sandstone | | | |
| 140 | 150 | Shale | | | |

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) Oct 4, 2005 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 561 This Water Well Record was completed on (mo/day/yr) Oct 9, 2005 under the business name of Evans Energy Dev. Inc. by (signature) Scott G. Evans