


1 LOCATION OF WATER WELL: Fraction SE 1/4 SE 1/4 NE 1/4 Section Number 36 Township Number T 12 S Range Number R 15 EW  
 County: Shawnee

Distance and direction from nearest town or city street address of well if located within city?

416 SW 57th, Topeka, Ks.

2 WATER WELL OWNER: Pauline Farmers Coop Board of Agriculture, Division of Water Resources  
 RR#, St. Address, Box #: 416 SW 57th Application Number:  
 City, State, ZIP Code: Topeka, Ks. 66619

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 10.5 ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. 5.0 ft. 2. ft. 3. ft.  
 WELL'S STATIC WATER LEVEL 4.23 ft. below land surface measured on mo/day/yr 2-26-98  
 Pump test data: Well water was ft. after hours pumping gpm  
 Est. Yield gpm; Well water was ft. after hours pumping gpm  
 Bore Hole Diameter: 8 1/2 in. to 10.5 in. to in. to in. to ft.  
 WELL WATER TO BE USED AS:  
 5 Public water supply 8 Air conditioning 11 Injection well  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped  
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded  
 7 Fiberglass Threaded X  
 Blank casing diameter 2.375 in. to 2.5 in. Dia. in. to in. to in. to SDR 13 ft.  
 Casing height above land surface Flush HL in. weight lbs./ft. Wall thickness or gauge No. SCH 40  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)  
 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 10.5 ft. to 2.5 ft. From ft. to ft. to ft.  
 From ft. to ft. to ft. to ft. to ft.  
 GRAVEL PACK INTERVALS: From 10.5 ft. to 2.0 ft. From ft. to ft. to ft. to ft. to ft.  
 From ft. to ft. to ft. to ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  
 Grout Intervals: From 2.0 ft. to 1.5 ft. From 1.5 ft. to 0 ft. From ft. to ft. to ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy 1 Fuel storage FOUR 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below)

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1.5	Clay and gravel (ls)			
1.5	3	Dk gray-dk brn silty clay, moist tr olbn mottling, faint odor			
3	5	Olive brn-olive gray silty clay fat, moist, strong diesel-gasoline odor, some blk mottling sampled 3-5'			
5	6	A/A becoming brn-olive-orange brn silty clay, some gray, graveley, sampled 5-6'			
6	6.5	LS			
6.5	10.5	V moist-wet weathered-unweathered shale, olivebrown, faint odor sampled 6.5-10(non-wet portions)			

*F.M. OK'd by Don Taylor*

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2-19-98 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 539 This Water Well Record was completed on (mo/day/yr) 3-18-98 under the business name of JB Environmental Drilling by (signature) James Burke

OFFICE USE ONLY T R EW SEC 1/4 1/4