WATER WELL RECORD	Form WWC-5	Division of Water Resources App. 1	No
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No.	
County: Shawsee			R 15 XE □W
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here . Latitude:			
Longitude:			
5037 Sw Uroh Rd Topeka, Ko Webs Pelevation: Datum: 1 WGS 84 1 NAD 83 1 NAD 27			
2 WATER WELL OWNER: DANIE D. BAIRY Collection Method: RR#, Street Address, Box #: Collection Method: Collection Method: GPS unit (Make/Model:			
RR#, Street Address, Box #: City, State, ZIP Code : 5660 5 Local 105 Local			
City, State, ZIP Code : 5660 5 W Line 105 In Feliscop Digital Map/Photo, Topographic Map, Land Survey			
3 LOCATE WELL S			
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL39	14-3	95′ Bores
SECTION BOX: Depth(s) Groun	ndwater Encountered (1). NOAS	4 ft. (2) ft.	(3) ft.
N WELL'S STAT	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr		
Pum	Pump test data: Well water was		
EST. YIELD	EST. YIELD		
w 1 1 1 1 B Bore Hole Diameter			
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well			
-SW - SE 5/ Domestic Feedlot Oil field water supply Dewatering Other (Specify below)			
Irrigation Industrial Domestic-lawn & garden Monitoring well Clased Los Company Monitoring well Clased Los Company Monitoring well Clased Monitoring well Clased Monitoring well Monitori			
S If yes, mo/day/yr sample was submitted			
Water well disinfected? Yes Ye			
5 TYPE OF CASING USED: Steel PVC Dother			
Casing diameter 1 in to 32.5 ft Diameter 6 in to ft Diameter in to ft			
Casing diameter			
TYPE OF SCREEN OR PERFORATION MATERIAL: No ve			
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)			
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE: No. 1			
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)			
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)			
From			
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.			
From			
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other			
Grout Intervals: From .32.5 ft. to			
What is the nearest source of possible contamination: None Yet			
Septic tank			
Sewer lines			
Direction from well			
FROM TO LITHOLOG		TO LITHO. LOG (cont.) or PLU	
D 5 So. 146/194		221 Sandstone	The same of
5 9 Shale		232 Slale	
9 11 Limestone		236 Limestone	
11 17 5hele		321 Shalo	
17 33 Santatone		325 Linestone	
23 45 Shale			
45 49 Limeston			
49 192 Shale	325	3 14-325' bores pl	ugged with
192 194 Limentone			extonite
194 201 State		1	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🗷 constructed, 🗌 reconstructed, or 💟 plugged			
under my jurisdiction and was completed on (mo/day/year) 2.: 3.3			
Kansas Water Well Contractor's License No. 5.6.1 This Water Well Record was completed on (mo/day/year)			
under the business name of Zuran S. Zorang Den Torans by (signature) by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLBASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies			
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.			
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at			
http://www.kdheks.gov/waterwell/index.html.			
KSA 82a-1212			