WATER WELL RECORD		Form WWC-5		Div	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:		Fraction		Section	Section Number Township No. Range Number			
County: Shawnee		NW45E 45E	5 1/4 NE 1/4		19	TIAS		
Street/Rural Address					g System (GPS)			
from nearest town or intersection: If at owner's address, check here								
6840 Sw Aylesbury Rd. Topeka KS 66610 Datum: WGS 84 [] NAD 83 [] NAD 27								
2 WATER WELL OWNER: Tim + Jan Leach				Collection Method:				
					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, Zir Code	Too	Est. Accuracy: $\square < 3 \text{ m}$, $\square 3-5 \text{ m}$, $\square 5-15 \text{ m}$, $\square > 15$					5-15 m, \square >15 m	
3 LOCATE WELL	4 22	Plugged ed COMPLETED WEI	*					
WITH AN "X" IN SECTION BOX:	4 DEPTH OF	COMPLETED WEL			ft.	ft	(3) ft.	
SECTION BOX: Depth(s) Groundwater Encountered (1)							/day/yr. 2 - 1 - 1 2	
Pump test data: Well water wasft. after hours pumping							mping gpm	
NWNE ₃ -	EST. YIELD							
W E Bore Hole Diam WELL WATER		eter						
		TO BE USED AS: Public water supply Geothermal Injection well Dewatering Other (Specify below)						
SWSE	☐ Irrigation	Industrial Domestic-lawn & garden Monitoring well \$1.25.00						
Was a chemical/bacteriological sample submitted to Department? Yes 🔀 No							Ø.	
S If yes, mo/day/yr sample was submitted								
water went distincted: 1 1cs [w] 140								
5 TYPE OF CASING USED: Steel PVC Other HD. Polyethy R. C. S. C. C. S. D. C. S. D. C. S. C. C. S. D.								
CASING JOINTS: Glued Clamped Welded Threaded Fusion Casing diameter in. to								
Casing height described land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL: 🐧								
Steel Stainless Steel PVC Other (Specify)								
SCREEN OR PERFOR	ATION OPENING	GS ARE: None asea (open	noic)					
SCREEN OR PERFORATION OPENINGS ARE: None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.								
From								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From J.S.O ft. to ft., From ft. to ft., From ft. ft. ft. what is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Watertight sewer	Sewage lagoon Fuel storage Abandoned water well oit Feedyard Fertilizer storage Oil well/gas well							
Direction from well .								
FROM TO	LITHOLOG		FROM	ТО			LUGGING INTERVALS	
0 18 Soil	teloy							
28 37 San	dstone							
37 /15 Sha								
115 124 11~ 124 153 5ha			250	3	4.250	o bores i	Jugged with	
	dstone		CK 30		High	Solid 1	Bextonite	
208 237 500	de line				J.			
237 250 Sh	alè							
7 CONTRACTOR'S O	RIANDOWNE	R'S CERTIFICATION	N. Thie wa	ter well s	was V const	ructed Trecon	structed or V nlugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 2								
Kansas Water Well Contractor's License No								
under the business name of Europy. Dev. Ins. by (signature)								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212								