WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number
County: Shawnee	14 NE 14 NE 14 NE 14	13 T 12 S R 15 ☑E □W
Street/Rural Address of Well Location; if unknown, distance & direction		Global Positioning System (GPS) information:
from nearest town or intersection: If at owner's address, check here .		Latitude: .39.014837 (in decimal degrees)
Holiday Square Shopping Center		Longitude: 95.688654 (in decimal degrees)
517 SW 29th Street, Topeka, KS 66611		Elevation: 9/6
		<u>Datum</u> : ☐ WGS 84, ☑ NAD 83, ☐ NAD 27
	oliday Square, LLC	Collection Method:
RR#, Street Address, Box #: 5201 Johnson Drive. Ste. 450		GPS unit (Make/Model:)
City, State, ZIP Code : Mission	, KS 66205	Digital Map/Photo, Topographic Map, Land Survey
Est. Accuracy:		
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL .14.5	A
SECTION BOX: Depth(s) Ground	hwater Encountered (1) DrV	ft. (2).N/A ft. (3).N/A ft.
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr		
N/Δ 0 - 0 - N/Δ 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		
TOT MITT DAILY TO ALL THE TOTAL THE		
W NW NE EST. YIELD JWAgpm. Well water was		
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well		
Demostic Decodlet Doil field water supply Dewatering Detection Specify below)		
swsE Domestic Feeding On field water supply Dewatering Other (specify below)		
Was a chemical/bacteriological sample submitted to Department? Yes V No		
s If yes, mo/day/yr sample was submitted. MA		
water well disinfected? Yes No		
5 TYPE OF CASING USED: Steel PVC Other		
CASING JOINTS: Glued Clamped Welded Threaded		
Casing diameter 2 in. to 4.5		
Casing height above land surface. U		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
Steel Stainless Steel PVC Other (Specify)		
Brass Galvanized Steel None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)		
Continuous stot		
SCREEN-PERFORATED INTERVALS: From 4.5 ft. to 14.5 ft., From NA ft. to NA ft.		
From N/A ft. to N/A ft., From N/A ft. to N/A ft. ft.		
GRAVEL PACK INTERVALS: From. 4. ft. to .14.5 ft., From. N/A ft. to .N/A ft.		
From N/A ft. to N/A ft., From N/A ft. to N/A ft.		
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete 0 to 2-feet		
Grout Intervals: From 2 ft. to 4 ft., From N/A ft. to N/A ft., From N/A ft.		
What is the nearest source of possible contamination:		
Septic tank		
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well		
Watertight sewer lines Seepage p		
Direction from well North	Distance	from well <25-feet
FROM TO LITHOLOG	IC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 0.5 Asphalt		
0.5 10 Fot CLAY Yellow	-brown.	
10 17.5 SHALE highly	weathered	
Yellow - probl	^)	
7 - 110 W - 01 PW	/	
14.5 Aval refusal	an Limectone	
14.5 Huger refusal	an civitation	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged		
under my jurisdiction and was completed on (mo/day/year) .2-18-2015 and this record is true to the best of my knowledge and belief.		
Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on (mo/day/year) 4-11-2015		
under the business name of RAZEK Environmental LLC by (signature) (signature) (signature)		
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.		
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at		

http://www.kdheks.gov/waterwell/index.html