WATER WELL RECORD Form WWC-5		Division of Water							
X Original Record Correction Change in Well Ust	Reso	urces App. No.		Well ID	MW3				
1 LOCATION OF WATER WELL: Fraction			er Township Nun		Number				
•	E 1/4 NE 1/4		T 12		5 X E W				
			ell is located (if unk						
Business: KDHE from nearest town or intersection): If at owner's address, check here: Address: 1000 SW Jackson St. 2114 SW Seabrook Ave., Topeka KS 66604									
Address:									
City Topeka State: KS ZIP: 66612									
		5 Latitude:	39.028	359 (de	ecimal degrees)				
WITH "X" IN Depth(s) Groundwater Encountered: 1) SECTION BOX: 2)ft3)ftor4)Dry	II	Longitude			ecimal degrees)				
N WELL'S STATIC WATER LEVEL:		Horizontal Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:							
X below land surface, measured on (mo-day-yr		GPS (unit make/model:							
above land surface, measured on (mo-day-yr)	(WAAS enabled? Yes No)							
Pump test data: Well water was	it	X Land Survey Topographic Map							
w E after hours pumping	gpm .	Online	Mapper						
Water well was f	- L	6 Elevation	949.2 ft	Ground L	evel X TOC				
SW SE Estimated Yield: gpm	5,	Source X Land Survey GPS Topographic Map							
	it, and		Other	J 91.00 L] - «F8				
s in to to		L							
mile									
7 WELL WATER TO BE USED AS: 1 Domestic: 5 Public Water Supply: well ID	1	on cara	Water Supply: leas	٥					
Household Dewatering: how many wells?		11 Test Hole: wel		C					
Lawn & Garden 7 Aquifer Recharge: well ID		Cased Uncased Geotechnical							
Livestock 8 X Monitoring: well ID MW3	1	2 Geothermal: Ho							
2 Irrigation 9 Environmental Remediation: well ID		a) Closed Loc	op 🔲 Horizonta	I Vertic	al				
3 Feedlot Soil Vapor Extraction		b) Open Loop		ischarge	Inj. of Water				
4 Industrial Recovery Injection		Other (spe	ecify):						
Was a chemical/bacteriological sample submitted to KDHE? Yes X No	If yes, da	ite sample was su	ıbmitted:						
Water well disinfected? Yes X No			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
8 TYPE OF CASING USED: Steel X PVC Other	CASING JO	INTS: Glu	ed Clampled	Welded	X Threaded				
Casing diameter 2 in. to 10.5 ft, Diameter in. to Casing height above land surface -0.32 in. Weight	ft,	Diameter	in. to	ft,					
TYPE OF SCREEN OR PERFORATION MATERIAL:	bs./ft. Well	thickness or gaug	ge No						
Steel Stainless Steel Fiberglass X PVC	<u> </u>	Other (Specify)							
Brass Galvanized Steel Concrete tile None used (open he		other (specify)							
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous Slot X Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)									
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From 10.5 ft. to 20.5 ft, From ft. to ft, From ft. to ft,									
GRAVEL PACK INTERVALS: From 8.5 ft. to 20.5 ft, Fro	mf1	t. to	ft, From	ft. to	ft.				
9 GROUT MATERIAL: Neat cement Cement grout X Bentonii	te X Othe:		5'						
Grout intervals: From 0.5 ft. to 8.5 ft. From ft. to	ft, Fro	mft.	toft.						
Nearest source of possible contamination:									
Septic Tank Lateral Lines Pit Privy		stock Pens	Insecticide	_					
Sewer Lines Cess Pool Sewage Lagoon		Storage	=	d Water Well					
Watertight Sewer Lines Seepage Pit Feedyard Other (Specity)	Ferti	ilizer Storage	Oil Well /	Gas Well					
Direction from wall?									
10 FROM TO LITHOLOGIC LOG	FROM	ТО) 131 1777577	W DEFENDED				
0 0.5 Concrete	FROM	TO	LITHO, LOG (co	nic) of PLUGGI	NO INTERVALS				
0.5 10 Silty clay									
10 20 Clayey sand, fine grained 20 20.5 Weathered shale some sand									
20 20.5 Weathered shale, some sand									
		+							
	Notes: KDI	HE ID: Village (leaners; C4-089-1	71848					
Target of monitoring well is shallow groundwater. <20' of grout was installed at									
the direction of KDHE.									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed. reconstructed. plugged under my									
jurisdiction and was completed on (mo-day-year) 11/29/21 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No 757 This Water Well Record was completed on (mo-day-year) 12/21/21									
under the business name of Larsen & Associates, Inc.		Signature		1	7. Transaction				
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas	Department of He	ealth and Environm							
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Wat		nd retain one for vo	ur records. Telephone						
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-12	12			Revise	d 7/10/2015				

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Natalie Burris GSI 4503 E 47th St., Wichita, Kansas, 67210 December 4, 2021

RE: Monitor Well Elevation Survey 2027 SW Seabrook, Topeka, Kansas

Proj. 21-00VV Village Cleaners KDHE ID C4-089-71848

Buch Mark: Chisled Sq. on East center of storm inlet near SE corner of property.

Elev: 956.80 North 5428.78 West 795.31 (from SE Cor. Sec. 10-12-15E)						
MW -1	rim	955.81	North	5225.50	NE1/4,NW1/4,NE1/4,NE1/4	
	top pipe	955.42	West	767.52	Lat= 39.02927 Long = 95.72766	
MW-2	rim	952.31	North	5142.22	NE1/4,NW1/4,NE1/4,NE1/4	
	top pipe	951.98	West	781.55	Lat= 39.02904 Long = 95.72771	
MW-3	rim	949.52	North	4978.10	SE1/4,NW1/4,NE1/4,NE1/4	
	top pipe	949.20	West	786.05	Lat= 39.02859 Long = 95.72773	
MW-4	rim	950.59	North	4677.68	SE1/4,NW1/4,NE1/4,NE1/4	
	top pipe	950.10	West	887.30	Lat= 39.02777 Long = 95.72809	
MW-5	rim	945.14	North	4376.13	NW1/4,SE1/4,NE1/4,NE1/4	
	top pipe	944.52	West	410.01	Lat= 39.02693 Long = 95.72642	
MW-6	rim	947.61	North	4536.82	NW1/4,SE1/4,NE1/4,NE1/4	
	top pipe	947.30	West	456.57	Lat= 39.02737 Long = 95.72658	
MW-7	rim	951.96	North	4755.50	SW1/4,NE1/4,NE1/4,NE1/4	
	top pipe	951.42	West	450.39	Lat= 39.02797 Long = 95.72655	
MW-8	rim	954.77	North	4929.70	SW1/4,NE1/4,NE1/4,NE1/4	
	top pipe	954.44	West	371.29	Lat= 39.02845 Long = 95.72627	

Elevation derived from City of Topeka BM#58.2. NAVD88

Lat & Long derived from Topeka 7.5' Quad Map. WGS84

If you have any directions, please feel free to call me. Thank you for the opportunity to be

