LOCATION OF WATER WELL: County: Shawnee			Fraction: NW 1/4	sw 1	/4 SE 1/4			Number:	Township Number: 12			Range Number: 16 East	
ance and	direction fro		t town, or cit	y street ado	lress of well, if in								
ut 60 fee		er of last build											
		WELL OWNER:		-	or, Inc.			WELL ID: MW6					
Address, Box ≠: 105 East 20th St City, State, Zip Code: Topeka, KS 66605									Board of Agriculture, Division of Water Res				
OCATE W			WELL COMP		25'			Application Nul ft.		ATION:		(TOC)	
	AN "X"	I	roundwater					- 11.	ELE V	AHON:		(100)	
WIIR			/ELL'S STATIC			<u> </u>		feet below land	d surface	mage	ured on mon	th /day/year	
:		1	np test data:			feet	after	1001 5010 W 10110	hou			gpm	
					as	feet	after		hou				
1	ŧ	Bore Diam.		inches to		feet,	and		hou	irs		feet	
		WELL WATER 1			5 PWS			8 air condition			11 injection		
_ '	-, '		1 domestic					9 dewatering	588844011-7-47-7	TO COLOR	12 other (spe	ecify)	
	K ;				l 7 lawn/gard mple submitted			10 monitoring w	/OII		no X		
	l	If ves.	month/dav/\	vear sample	was submitted	l	1101111;	yes We	ell Disinfe	acted?			no
	N 4 N W O 4 O N		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					-					
	BLANK CASING 1 Steel		3 RMP (SR)		5 Wrought In 6 Asbestos-0			8 Concrete tile9 Other		Cluad	CASING JOIN	Welded	
	2 PVC	3	4 ABS		7 Fiberglass			y Oli lei			AND THE PERSON NAMED IN COLUMN TO TH	Threaded	X
•		•							Oic	лпрос		micadoa_	^
lenk cas	ing diameter	2	inches to		feet, Diam.				11 16-	- + > 4 ()	feet		
Cosing.	rit above	land surface	0		nches, weigh	11			IDS./TO	ei Wall	thickness or g	gauge No	40
OF SORE	OR PERFO	RATION MATE	RIAL:										
	1 Steel		3 Stainless st	eel	5 Fiberglass			7 PVC			10 Asbestos	cement	
	2 Brass		4 Galvanize	ed steel	6 Concrete	tile		8 RMP (SR)			11 Other (sp	ecify)	
EN OR P	EDECIDADATIO	N OPENINGS A	VDE-										
EN OK P	1 Continuou		arce: 3 Mili Slot		5 Gauzed w	/ranned	ı	8 Saw cut			11 None (or	en hole)	
	2 Louvered		4 Key punci	il hed	6 Wire wrap		•	9 Drilled holes			10) enovi	erriole)	
	Z LOUVEIGU	si la li e i	4 Key pulici	100	7 Torch cut	•		10 Other (spec	ifv)				
		from:	15	feet	to 25	feet	from:	•	feet	to		feet	
SCREE	n intervals:	,		_		feet							
		from:		_ feet	to	1001	from:		feet	to		feet	
CD D4C	K INTERVALS:	from:	13	feet	to 25	feet	from:		feet	to		feet	
GR. FAC	K INIEKVALS.	from:		-	to	feet			feet	to		feet	
<u>. </u>						_							
	MATERIAL:		Neat cement		-	Cemen			, ,		3 Bentonite	<u> </u>	
	rout Intervals:			_	to 11	_ feet,	irom	11	feet	to	13	feet	
it is the n		of possible c			•								
	S4	eptic tank (1)		-	>€							storage (11)_	X
		ewer lines (2)		-	Source							storage (12)_	
	•	ewer lines (3)		-	3 0 WG	ge lago Feedyo				۸۱		storage (13)_	
		teral lines (4)		-	Livosi					AL	oandoned wo		
		Cess pool (5)		-	LIVES:	tock per	15 (10)	·				Cas well (15)_	
Directio	on from well?			Н	ow many feet (d	annroxir	nata)?	1			Omer (speciffy) (16)_	
DIECIK	JITHOH WOH:				Swilliamy 1991 (арріолі	iidio);				-		
ROM	TO		LITHOLO	DEIC FOE		FR	MC	TO			LITHOLOG	IC FOC	
0	7	Clay, silty, do											
7	12	Clay, very sit	ly, dark brow	n with mott	les, moist								
12	25	Clay, very sill	ly, dark brow	n with mott	les, moist to wet								
		,,, . J., J	-,,		.,	†		 					
						 							
						-							
				**									
												**	
	L										WELL ID:	MW6	
											WELL TAG:	0013256	3
										V	'ARIANCE BY:		
-						T					-		
								†					
	CONTRA		IDO/AMIEDIO (ONI. Thista	10		1)non-ttt	0**		200-1		-P - ·
				JEKIIFICAII(ON: This water \			1)constructed,				, ,	
	npleted on (r		4/25/95		This Martin 11			rd is true to the b				elief. Kansas V	Vater
	ctor's License	number	527		inis Water W			s completed on	(mo/dy	(Yr) 1.	5/30/95	· · · · · ·	
										U I	,		
	usi ne ss name:	GeoCore S	ervices Inc.			by (sig	nature))	New 1	gay			