			WAT	ER WELL RECORD	Form WWC	-5 KSA 82a	-1212		N) [#60	
	ON OF WA		Fraction		Se	ection, Number		Number	T A	lange Nu	mber	
County	HAW	NEE		4 NW VA NE		4	T / 🚄	<u>2 s</u>	<u> </u> R	16	Øw	
		, ,	7 ·	address of well if located	•	?					ŀ	
				OPEKA, KAN	SAS_							
2) WATER WELL OWNER: TOWN & COUNTRY BR# St Address Box # Board of Agriculture Division of Water Resourced												
The Park The Secret The Park 1770 Marie Translation of Water Resources												
1		1. O.1	TO THE		<i>2</i> 1 1 <i>m</i>	SKLS Utc	∠/ f-Applica	tion Number	:			
AN "X"	IN SECTION	OCATION WITH N BOX:	₽ -	COMPLETED WELL (
_ r	<u> </u>	7		dwater Encountered 1.								
1	WELL'S STATIC WATER LEVEL											
-	Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm											
	Bore Hole Diameter											
ž w h	W I I WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well											
-	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below								elow)			
	2 Irrigation 4 Industrial 7 Lawn and garden only Monitoring well											
1 1	ì	i l	Was a chemica	l/bacteriological sample s			_					
1			mitted			Wa	ter Well Disinfe	ected? Yes		No		
5 TYPE	OF BLANK (CASING USED:		5 Wrought iron	8 Cond	crete tile	CASING	JOINTS: GIL	ied	. Clampe	∌d	
1 St		3 RMP (S	R)	6 Asbestos-Cement	9 Othe	r (specify below	v)	We	elded			
Ø P¹		4 ABS	2	7 Fiberglass								
Blank casing diameter 2 in. to 3 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface in., weight . \$<4.2 \(\frac{1}{2} \) \(\frac{1}{2}												
				in., weight . ふぐん.と ベ								
1 St		R PERFORATIO 3 Stainles:		E Ciberalese	_	PVC 10 Asbestos-cement						
				5 Fiberglass 6 Concrete tile				11 Other (specify)				
	2 Brass 4 Galvanized steel 6 SCREEN OR PERFORATION OPENINGS ARE:				ed wrapped	60	8 Saw cut	None useu (•	ne (open	hole)	
1 Continuous slot (3)Mill slot 6 Wire wrapped							9 Drilled hole	es	11 140	no (open	,,,,,,,	
	2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)											
SCREEN-PERFORATED INTERVALS: From 6 . 2 ft. to 5 ft., From ft. to ft.												
			From,	ft. to ft. to		ft., Fro	m	ft	. to		ft.	
+	GRAVEL PA	CK INTERVALS:	From 🧇	ft. to ft. to	. 7	ft., Froi	m	ft	. to			
			From	ft. to		ft., Fro			. to		ft.	
6 GROUT MATERIAL: 1 Neat cement ② Cement grout ③ Bentonite 4 Other Grout Intervals: From 2 5 ft., From												
Grout Inte		ource of possible		. نہے۔. π., From	π.		•					
		•		7 Pit privy			tock pens	Abandone		weii		
1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool				8 Sewage lagoon		11 Fuel storage12 Fertilizer storage			15 Oil well/Gas well 16 Other (specify below)			
" "		er lines 6 Seep	•	9 Feedyard	OII		ticide storage	10	Other (Sp	echy ben	···,	
	from well?	South				How mai	~~7	_//				
FROM	ТО		LITHOLOGIC	LOG	FROM	то		PLUGGING	INTERV	ALS		
Q	2	Topso	J.C.									
3	4	Dark	beown	O STLTY CLAY								
_,4	140	WEATHELE	D linestoi	1E ,DLHIGE TOTA	7W	<u> </u>						
<u> </u>	6.25	LIMES	TONE			1		,				
						+						
					 	 						
	T											
				-								
					_							
					<u> </u>							
1	j					1						
			S CERTIFICAT	TON: This water well wa	s (i) constr	ucted, (2) reco	nstructed, or (3	3) plugged u	nder my j	urisdictio	n and was	
completed on (mo/day/year)												
		s License No.). *5	This Water We		_	111	P]+/	7.75.			
	business nai				ERVICE	by (signat	-	Rf.				
				<u>FIRMLY</u> and <u>PRINT</u> clearly. Plea 20-0001. Telephone: 913-296-55						Kansas Dep	artment	