		KECUKD				Sion of W	ater Reso	urces, App. No.		
1 LOCA	TION OF S	WATER WELL: hawnee	Fraction SW 1/4	SW ¼	SE ¼	ection N	umber	Township Number	Range Number	
1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number County: Shawnee SW ½ SW ½ SE ½ 3 T 12 S R 16 (E)										
located within city?										
2000 SE Rice Road, Topeka, KS Longitude: 2 WATER WELL OWNER: YRC Worldwide Enterprise Service – Ruben D. Byerley Elevation:										
RR#, St. Address, Box # : 10990 Roe Ave.										
City, State, ZIP Code : Overland Park, KS 66211 Data Collection Method:										
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 9.5 ft.										
LOCATON										
WITH AN "X" IN Depth(s) Groundwater Encountered 1 ~8' ft. 2 ft. 3 ft.										
	SECTION BOX: WELL'S STATIC WATER LEVEL 6.95 ft. below land surface measured on mo/day/yr 05/09/2007									
5201	N Pump test data: Well water was ft. after hours pumping gpm									
	Est. Yield gpm: Well water was ft. after hours pumping gpm									
NN	/ - 	WELL WATE	R TO BE U	SED AS: 5	Public wat	er supply	y 8 Ai	r conditioning 11	injection well	
T	1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below									
W 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well										
swsE										
	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs									
	S	Sample was su	bmitted			٠,	Water W	ell Disinfected? Ye	s No X	
S Sample was submitted Water Well Disinfected? Yes No X 5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped										
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Welded										
1 500	1 Steel 5 Rivir (SR) 6 Assessos-Centent 7 Other (specify below) welled									
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 9.5 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 2.16 in., Weight lbs./ft. Wall thickness or gauge No. Sch. 40 PVC										
Corine beight below land symfora 2.16 in Weight the /A Well thickness or gaves No. Seb. 40 DVC										
Casing height below land surface 2.16 in., weight lbs./ft. Wall thickness of gauge No. Sch. 40 PVC TYPE OF SCREEN OR PERFORATION MATERIAL:										
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ARS 11 Other (specify)										
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)										
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)										
SCREEN-PERFORATED INTERVALS: From 1 II. to 9.5 II. From III. to III.										
			From		. n. to		n. Fr	omft.	to n.	
GR	LAVEL PAG	CK INTERVALS:	From	1	. II. to	9.5	n. Fr	om ft.	τοπ.	
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 1 ft. to 9.5 ft. From ft. to ft. From ft. to 9.5 ft. From ft. to ft. GRAVEL PACK INTERVALS: From 1 ft. to 9.5 ft. From ft. to ft. From ft. to ft. From ft. to ft.										
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals From 0 ft. to 1 ft. From ft. to ft. From ft. to ft.										
Grout Intervals From 0 ft. to 1 ft. From ft. to ft. From ft. to ft.										
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify)										
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)										
									Lust Site	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well Lust Site How many feet?										
			LOGIC LO		FROM	ТО	T	PLUGGING INT	EDVAIS	
FROM 0	TO 1	Asphalt -	LOGIC LO	<u> </u>	TROM	10	1	I LOGGING IN I	LICYALD	
1	2	Layer of crushed	imestone			 	 			
2	9	Clay, silty	11110510110				1			
9	9.5	Sandstone								
								MW3		
							-	· · · · · · · · · · · · · · · · · · ·		
					1		-			
							-			
		Sandstone auger	refusal							
Sandstone, auger refusal										
under my jurisdiction and was completed on (mo/day/year) 05/08/2007 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on 1975 (year) 06/20/2007										
under the b	ousiness nam	e of Coranco Grea	t Plains, In	c.	by (signatu	ire) 🚄	Calor	MI		
INSTRUCT	CIONS: Pleas	e fill in blanks or circle t	ne correct answ	ers Send ton	three copies to	Kansas D	epartment	of Health and Environme	nt, Bureau of Water,	
Geology Section 1000 SW Jackson St. Suite 420. Toneka Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for										
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.										