WATE	R WELL	RECORD	Forn	n WWC-	·5 I	Division of W	ater Reso	ources; App. No.		
		WATER WELL: Shawnee	Fraction NW 4	NW 1/	SW v	Section N	lumber	Township Number	Range Number	
County: Distance	and direction	n from nearest town	or city stree	et address	of well if	Global Pos	sitioning	T 12 S System (decimal deg	rees, min. of 4 digits)	
located within city? 800 SE 15th St, Topeka, KS Latitude: 39.03692										
Longitude: 95.66892 2 WATER WELL OWNER: MRV. Inc. (Nancy Seitz) Elevation: RIM: 897.13 TOC: 896.78										
RR#, 5	RR#, St. Address, Box # : 3501 SW Fairlawn Road, Ste 200 Datum: NAVD88									
City, S	State, ZIP C	ode : Topeka	, KS 66614			Data Coll	lection N	Aethod: legal survey		
3 LOCA	ATE WEL	L'S 4 DEPTH OF	COMPLE	ETED WE	LL	15	D	ft.		
	LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 15 ft. LOCATON MW1R WITH AN "X" IN Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.									
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 9.26 ft. below land surface measured on mo/day/yr 6/29/10										
N Pump test data: Well water was ft. after hours pumping gpm										
N Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm										
NW + NE - WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well										
W										
SW SE Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs										
	S									
Sample was submitted Water Well Disinfected? Yes No X 5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped										
1 Ste	1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded									
(2) PV	2) PVC 4 ABS 7 Fiberglass Threaded X									
Blank cas	ing diamete	r 2 in. to	3 f	t., Dia		in. to	ft.,	Dia in.	to ft.	
Casing height below land surface 0.35 ft., Weight lbs./ft. Wall thickness or gauge No.										
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)										
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 3 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.35 ft., Weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
1 Continuous slot (3) Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)										
SCREEN	-PERFORA	TED INTERVALS:	From	3	ft. to	15	ft. Fro	om ft. t	o ft.	
-		arr 13 120 00 11 1 1 1 0	From		ft. to		ft. Fro	om ft. t	o ft.	
GR	AVEL PA	CK INTERVALS:	From	2	ft. to	15	tt. Fro	om ft. t	o ft.	
(CDOY	VIII 3 5 4 60 70		F10III		11. 10		n. Fr	om ft. t	o n.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete: 0-1 ft										
Grout Intervals From 1 ft. to 2 ft. From ft. to ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination:										
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify										
2 Sewer lines 5 Cess pool 8 Sewage lagoon (11) Fuel storage 14 Abandoned water well below)										
3 Watertight sewer lines 6 Seepage pit 9 Feedyard Direction from well? north 12 Fertilizer storage 15 Oil well/ gas well How many feet? 30 ft.										
							It.			
FROM	TO		OGIC LOC	j	FRO	M TO		PLUGGING INTI	ERVALS	
0	5	Topsoil, clay with pea Gravel fill and sandy of		vith pebbles	_				-	
		brown, moist to wet	,,	- process	<u> </u>					
5	15	Pebble clay, dark brov	n, wet							
							Flushmo	ount waiver from BOW		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged										
under my jurisdiction and was completed on (mo/day/year) 6/29/10 and this record it be to the best of my knowledge and belief.										
		tractor's License No.					completed	Fon (pro/day/year)	3/5/10	
I .					_ by (sign		nartmont	of Health and Environmen	t Bureau of Water	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell										