WATER WELL RECORD Form WWC-5	Division of Water Resources; App. No.
1 LOCATION OF WATER WELL: Fraction	Section Number   Township Number   Range Number
County: Shawnee NW 4 NW 4 SW  Distance and direction from nearest town or city street address of well	If Global Positioning System (decimal degrees min of 4 digits)
located within city? 800 SE 15th St, Topeka, KS	Latitude: 39.03692
2. WATER WELL OWNER. MOV I., (Nov., Colt.)	Longitude: 95.66892
2 WATER WELL OWNER: MRV. Inc. (Nancy Seitz) RR#, St. Address, Box # : 3501 SW Fairlawn Road, Ste 200	Elevation: RIM: 898.39 TOC: 898.04
City, State, ZIP Code : Topeka, KS 66614	Data Collection Method: legal survey
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL	19 ft.
LOCATON	MW9
	ft. 2 ft. 3 ft.
SECTION BOX: WELL'S STATIC WATER LEVEL 10.	91 ft. below land surface measured on mo/day/yr 6/29/10
	ft. after hours pumping gpm
Est. Yield gpm: Well water was	ft. after hours pumping gpm
WELL WATER TO BE USED AS: 5 Put	alic water supply 8 Air conditioning 11 Injection well
Domestic 3 Feed lot 6 Oil field water	er supply  9 Dewatering  12 Other (Specify below)
W E   1 Domestic 3 Feed lot 6 Oil field wate 2 Irrigation 4 Industrial 7 Domestic (law	wn & garden) 10 Monitoring well
SW + SE -	
Was a chemical/bacteriological sample sub	omitted to Department? Yes No X; If yes, mo/day/yrs
S Sample was submitted	Water Well Disinfected? Yes No X
TWDE OF CACING LICED. 5 Wassakt Land 9 C	Congreto tile CACING IOINTS: Cloud Clarened
1 Steel 2 DMD (SD) 6 Ashestes Coment 0 C	Other (anacify halow) Walded
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 C 2 PVC 4 ABS 7 Fiberglass	Threaded X
2 PVC 4 ABS 7 Fiberglass Blank casing diameter 2 in. to 4 ft., Dia Casing height below land surface 0.35 ft., Weight TYPE OF SCREEN OR PERFORATION MATERIAL:	in. to ft., Dia in. to ft.
Casing height below land surface 0.35 ft., Weight	lbs./ft. Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL:	
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR)	9 ABS 11 Other (specify)
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) SCREEN OR PERFORATION OPENINGS ARE:	10 Asbestos-Cement 12 None used (open hole)
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7	Torch cut 9 Drilled holes 11 None (open hole)
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 SCREEN-PERFORATED INTERVALS: From 4 ft.	Saw Cut 10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 4 ft.	to 19 ft. From ft. to ft.
Fromft.	to ft. From ft. to ft.
GRAVEL PACK INTERVALS: From 2 ft.	to 19 ft. From ft. to ft.
From ft.	to ft. From ft. to ft. to ft. to 19 ft. From ft. to ft. to ft. to ft. to ft. to ft. to ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout (3)	Bentonite (4)Other Concrete: 0-1 ft
Grout Intervals From 1 ft. to 2 ft. From	ft. to ft. From ft. to ft.
What is the nearest source of possible contamination:	
1 1	ivestock pens 13 Insecticide Storage 16 Other (specify
	uel storage 14 Abandoned water well below)
	ertilizer storage 15 Oil well/ gas well
	many feet? 103 ft.
	ROM TO PLUGGING INTERVALS
0 1 Topsoil	
1 15 Silty clay, dark brown, moist 15 20 Silty clay, dark brown, wet	
15 20 Shiy clay, dark brown, wet	
	Elizabeth and the Company
	Flushmount waiver from BOW
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:	This water well was (1) constructed. (2) reconstructed or (3) plugged
under my jurisdiction and was completed on (mo/day/year) 6/29/10 and this record is true/to the best of my knowledge and belief.	
Kansas Water Well Contractor's License No. 757 . This Water Well Record was completed on (me/day/year) 8/5/10	
under the business name of Larsen & Associates, Inc. by (signature)	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment. Bureau of Water.	
Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.	