		W	ATER WELL RE	CORD For	m WWC-5	KSA 82a-	1212 ID	No			
	N OF WA	TER WELL:	Fraction	سير الا	6=	Sec	tion Numbe		nip Number	Range Numb	er .
County:			12E 1	4 NE 14	<u> </u>	4		T	<b>₹</b> S	R   /	<b>EAO</b>
Distance a	nd direction f おうら		yn or city street	address of well	/ .	within city?	Ks	. 660	50		
2 WATE	R WELL OW	NER: V. U.	שחף יחי	USA	Harr				6-180	60/05	
RR#, St. A City, State	ddress, Box	. છ.૧ : <b>મ</b> ગબાય :		713 Ks lu	.446	•				Division of Water Res	sources
_			4 DEPTH OF		WELL	180:					
	N SECTION		Depth(s) Grou	undwater Encou	untered					3	
	N	1									
	1 .	1								pumping pumping	
-	-NW	- NE	1	TO BE USED		Public water		8)Air conditi		Injection well	gp
			1 Domest			Dil field water		9 Dewaterin	•	Other (Specify below	
w	<del>i</del>	<del>-</del>	2 Irrigation	n 4 Indust	rial 7 E	Domestic (lav	vn & garden	) 10 Monitoring	g well		
	0.44	, <b>x</b>							<b>X</b>		
-	-Sw -	- 51 - 3	Was a chemic	cal/bacteriologic	cal sample s	submitted to	Department'	? Yes No Water Well Disir	; If yes,	mo/day/yrs sample w	as sub-
	i	i	Initted					vvater vven bisii	nected: 163		L
<b>₽</b>	S S	9		5 M/		0.0	-4- 41-	CACINI	O LOINTO: OL:	ad Olemand	
5 TYPE		:ASING USED: 3 RMP (S		5 Wrought i 6 Asbestos-		8 Concre	ete tile (sp <b>e</b> cify belo			ed	
2 PVC		4 ABS		7 Fiberglass		H.D.	Palge	thylene	Thr	eaded	
Blank casi	ng diameter		. <b></b> in. to	180	. ft., Dia	×	, in. to	,f	t., Dia	in. to	ft.
Casing he	ight above la	nd surface			ht		1.60.15.1.	lbs./ft. Wall th	nickness or gua	ge No	
1			ON MATERIAL:			7 PV			Asbestos-Ce		
1 Ste		<ul><li>3 Stainles</li><li>4 Galvani</li></ul>		5 Fiberglass 6 Concrete		9 AB	MP (SR) RS		Otner (Specif None used (c	y) open hole)	
2 Bra			NGS ARE: N							•	(مام
1	OR PERFOR		Mill slot			ed wrapped wrapped		8 Saw cut 9 Drilled h		11 None (open ho	ne)
	vered shutter		Key punched		7 Torch						ft.
SCREEN-	PERFORATE	D INTERVALS			ft. to		ft., Fro	m	ft. t	o	ft.
			From		ft. to		ft., Fro	m	ft. t	o	ft.
	GRAVEL PAG	CK INTERVALS								o o	
			F10111	•••••	11. 10		16., 710	""		0	
6 GROU	JT MATERIA	L: 1 Nea	at cement	2 Cemen	t grout	3 Ben	tonite	4 Other			
Grout Inte	rvals: Fron	ı	ft. to	ft., Fr	om	ft. t	to	ft., From		ft. to	ft.
What is the nearest source of possible contamination:  10 Livestock pens  14 Abandoned water										all	
1 Septic tank 4 Lateral lines 7 Pit I								Il storage 15 Oil well/Gas well			
								Other (specify below	)		
1	-	rlines 6 See	epage pit		9 Feedyard			ecticide storage any feet?			
Direction f	TO TO		LITHOLOG	IC LOG		FROM	TO	larly leet?	PLUGGING I	NTERVALS	
		- 1	LITTOLOG	io Log		THOM	10		1 Loudina	A TENVALO	
2	2	5011	e Ley			180	3	Hiel.	11/2 C	Berton. Fe	
20	20	<i></i>	estone			100		<del>- 1219</del> 1	JEI 14 3	Julioni4 (	
25	28	146	acstone								
28	40	Soft	Shale.		. "					0.4	
40	44	Lik	restone					6-184	bole	5 1/199c	1
44	180	-≤ho	ile								
	•										
7		D.I. AND COLUMN	EDIO OFFICE	ATION: #*:		- (4)			(A)		
				ATION: This w	ater well wa	as (1) constr	ucted, (2) re	econstructed, or	(3) plugged u	nder my jurisdiction a	and was
Water Well	On (mo/day/y	Licence No	541		This Water	Well Record	was comple	eted on (mo/day	(vr) 12	knowledge and belief	<b>)</b>
under the b	nusiness nam			71	سد				. , , , ,	P	
	Jaon 1000 Han		m < 4'	1 11.		)	D	y (signature)	AH 1	. 6	
INSTRUC	TIONS: Use type	writer or ball point p	oen. PLEASE PRESS	FIRMY and PRINT	Clearly. Please	fill in blanks, un	derline or circle	the correct answers.	Send top three copi	es to Kansas Department of NER and retain one for you	f Health