			***	IN WELL NEODING TO	III 111100 100	// OZU 1212 10				
1 LOCATIO			Fraction				vnship Numl	ber	Range Numb	er.
County:	Dou	αlas	NE ¼	NW 1/4 NE	1/4 35	5 T	12	s F	R 19	⊚ w
							-			
Distance and direction from nearest town or city street address of well if located within city? 2447 W. 6 th Street, Lawrence, Kansas										
				,						
			d Oil Company	7						
RR#, St. Add	dress, Box#	: P.O.	Box 67			Board	d of Agricult	ure, Division	of Water Res	ources
Citv. State. Z	ZIP Code	: Leav	enworth, Kans	sas 66048		Appli	cation Numb	oer:		
LOCATE	WELL'S LOC	ATON WI	TH							
AN "X" IN	SECTION BO	OX:	DEPTH OF C	COMPLETED WELL water Encountered 1	15.0 f	t. ELEVATION:				
_	N		Denth(s) Ground	water Encountered 1	14.5	ft 2		ft 3		ft
. —			LAITH HO OTATIO	AMAZED LEVEL 1	2 20 6 5-1-				11/16/0	ie
↑ I	^	' ! 	I	WATER LEVEL 1						
 		NE	Pump	test data: Well water	was	ft. after		hours pumpi	ng	gpm
	i	i	Est. Yield NA	gpm: Well water	was	ft. after		hours pumpi	ng	gpm
₩ W			E Rore Hole Diame	eter 8.5 in. to	15.0	ft and		in to		ft
≑ " ┌─			WELL WATER T	O BE LISED AS: 5 Pi	iblic water supply		r conditionin	a 11 Inic	ection well	''
			1 Domestic	O BE USED AS: 5 Pu 3 Feed lot 6 Oi	field water supp	lv 9 De	ewatering	12 Ott	ner (Specify b	pelow)
	sw	· SE	2 Irrigation	4 Industrial 7 La	um and garden (domestic) fin	Annitoring w	ااه		,
J I		 								
٧ <u>L</u>		<u> </u>	Was a chemical/	bacteriological sample s	ubmitted to Depa					
	S		submitted			Water Well E	Disinfected?	Yes	No	X
5 TYPE OF	BLANK CAS	ING USE	D:	5 Wrought Iron	8 Concrete ti					
1 Ste				6 Asbestos-Cement						
\sim	-									
(2)PV		4 AB	_	7 Fiberglass					X	
				ft., Dia						
				in., weight						
TYPE OF S	CREEN OR P	FREORA	ION MATERIAL	,	(7) PVC	1	10 Asbesto	os-cement		
1 Ste		2 Sts	inless steel	5 Fiberglass	8 RMF	P (SR)	11 Other (snecify)		
2 Bra		4 00	luanizad ataal	5 Fiberglass6 Concrete tile	0 100	(011)	12 None u	sed (onen bo		
			NINGS ARE:	5 Gauze	d urannad	9 500	12 None u	seu (open no	None (anon k	nolo)
			3) Mill slot	5 Gauze	wappeu	0 Jav	led holes	11	None (open i	iole)
	ntinuous slot		MIII SIOT	o wire v	vrapped	10 0#				
2 Lou	vered shutter		4 Key punched	7 Torch		10 Ott	ier (specify))		
SCREEN-PE	ERFORATED	INTERVA		15.0 ft. to						
			From	ft. to		ft. From		ft. to		ft.
GRA	AVEL PACK II	NTFRVAL	S: From	15.0 ft. to	3.0	ft. From		ft. to		ft.
0.0										
			From	ft. to Cement grout	-0 $-$	R. FIOIII		11. 10		п.
	MATERIAL:		at cement 2	Cement grout	3 Bentonit	e 4 Other	·			
Grout Interv	als From	0.0	ft. to 1.0	ft. From 1.	ft. to	3.0 ft.	From	ft	. to	ft.
			ble contamination:) Livestock pen				
		•	4 Lateral lines	7 Pit privy	(1)	Fuel storage		15 Oil well/	Gas well	
1 Septic tank 2 Sewer lines			5 Cess pool		_	-			pecify below	A
	-	P	•					10 Other (3	pecity below	<i>'</i>
	tertight sewer	iines	6 Seepage pit			3 Insecticide sto	ладе	260		
Direction fro			E	ast		w many feet?		260		
FROM	TO	CODE			LITHOLO	GIC LOG				
0.0	0.5		Topsoil							
0.5	3.0		Dark brown very	silty clay, firm, mo	ist					
3.0	10.0			brown very silty cla		trace gravel	@8', firm,	moist		
10.0	15.0			-orange-tan very sil						
15.0			Limestone		-					
				Flush-mount	well completi	on waiver ex	istent for	site.		
										1
					_				/	/
7 CONTRA	ACTOR'S OR	LANDOW	NER'S CERTIFICAT	ION: This water well was	onstructed.	(2) reconstructed	i, or (3) pluad	ged under mv	jurisdiction a	ng was
_				3/06						
6/// V										
Water Well	Contractor's L	icense No		692				Joh (mo/day	yry #14	OIVO
under the bu	usiness name	of	Quad	State Services, I	nc.	by (signat	ture) '/	MIL	'NV	
INSTRUCTIONS:. Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W										
Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.										