WATE	R WELI	L RECORD		Form WWC-5			Division of Water Resources; App. No.				
1 LOC		F WATER WELI		action		Section Nu	ımber		ship Number		
Cour	ity:	onglas		3 14 SE 14 N		33			ებ s	R G (E/W	
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 dig											
located within city? Latitude: Longitude:											
		LOWNER: Jo	N Heeb	LANIENCE	حج	Elevation:	·				
	, St. Addre		8 Oaktree	DR.		Datum:	•				
	, State, ZII	0.0-1-	acenu Le	1.6049		Data Colle	ection N	Method	1.		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELLS 4 DEP											
1	ATION		Played	,	•			J ^	100, Bol	es	
	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1). 344:3.75 ft. (2) ft. (3) ft. SECTION BOX: WELL'S STATIC WATER LEVEL. 3.26 ft. below land surface measured on mo/day/yr. 12:18:42.										
	N Pump test data: Well water was										
	Est. Yield. 20gpm: Well water was										
	WELL WATER TO BE USED AS: 5 Public water supply WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feedlot 6 Oil field water supply Other (Specify below)										
W I Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Coses. Loop. Head. Lamp											
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs											
Sample was submitted											
5 1 Y P I	L OF CAS Steel	ING USED: 3 RMP (SR)	5 Wrougnt Iron 6 Ashestos-Cem	8 Conc ent 8 Other	rete tile r (specify	helow)	CASING	G JOIN	Welded	Clamped	
2	PVC	4 ABS	7 Fiberglass		Polinet	salene.			Threaded	FASA 63.13	
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued											
Casing height above land surface											
TYPE OF SCREEN OR PERFORATION MATERIAL: None											
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)											
SCREEN OR PERFORATION OPENINGS ARE: Noいし											
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)											
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)											
SCREEN-PERFORATED INTERVALS: From											
From											
GRAVEL PACK INTERVALS: From											
It. W											
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other											
Grout Intervals: From4.0.0 ft. to ft., From ft. to ft., From ft. to ft.											
What is the nearest source of possible contamination:											
	Septic tanl Sewer line		teral lines 7 Pit ss pool 8 Se	* *	10 Livesto 11 Fuel st				e storage ed water well	16 Other (specify below)	
			•			er storage		l well/g		uciow)	
		li? . 5				y feet?					
FROM	ТО		THOLOGIC LO		FROM				JGGING INT	ERVALS	
<u>8</u>	5	30,14C1A4	305 - 325	Sandstone						_	
5	13	Broken Limeston		Limestone	1		<u> 3 - 4</u>	00'	Boles	Plugged	
13	15	Shale	349 - 353	stale							
15	19	Sandstane	353- 354		14 - 3	 	11 (-	- 1 · /	/ n. /	-1.	
19	42	Shile	356 - 383	Shale	400	3	High:	50/14	5 Bento	nite	
42	168	Shale	382 - 396 390-400	Shale	<u> </u>	+					
1166	175	Limestono	370- 400	- July W							
175		Sundstone									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, of (3) plugged											
7 CON	TRACTO	R'S OR LANDOW	NER'S CERT	FICATION: T	his water	well was (1) constr	ructed, ((2) reconstruct	ed, of (3) plugged	
under m	y jurisdict	on and was comple	ted on (mo/day/	year) . 1.2 . :-3.1.:	.O.7. and	this record	is true t	to the b	est of my know	vledge and belief.	
		l Contractor's Licer		_						1.25.07	
under th	e business	name of	int pen PLRASE P	W. Inv.	by PRINT clear	/ (signature	in hlanka	s undarli	ne or citale the h	orrect answers. Send top	
	es to Kansas	Department of Health ar	nd Environment, Bu	reau of Water, Geolo	ogy Section,	1000 SW Jack	kson St., S	Suite 420), Topeka, Kansas	66612-1367. Telephone	
785-296-5	522. Seno	d one to WATER									
http://www.kdheks.gov/waterwell/index.html.											