			WAT	ER WELL RECORD	Form WW	C-5 KSA 82a	-1212			
		TER WELL:	Fraction			Section Number	Township Num	ıber	Range Number	
County: 1	Dickins	on	SW	1/4 SW 1/4	SW 1/4	25	T 12	S	R 2 (E/₩	
Distance a	and direction	n from nearest to	wn or city street	address of well if loca	ted within cit	ty?				
2분 교	est on	10 & 15 Hun	r Jet &3	North on Bucke	we Read	& = mile 1	laet.			
2 WATE	R WELL OV	VNER: Don Hu	nt.	THE ON THE PROPERTY	J	o 4 miles	44.5 0			
_		x # : Rt. I	uto				Doord of Agri	ioulturo F	Division of Water Resources	
	, ZIP Code		n Kansas	491.90			•			
					778		Application N			
AN "X"	IN SECTIO	N BOX:								
		N .		epth(s) Groundwater Encountered 1ft. 2						
₹	!	!!!	WELL'S STATI	C WATER LEVEL		ft. below land sur	face measured on m	io/day/yr	4. /. 11. /. 87	
	- NW	NE	Pur	mp test data: Well wa	iter was	ft. a	fter	nours pur	mping gpm	
	- 1444		Est. Yield 2	0+ gpm: Well wa	iter was	ft. a	fter	nours pur	mping gpm	
	i	1 i 1.	Bore Hole Diameter . 9in. to /18ft., andin. to							
* w	i	<u> </u>		TO BE USED AS:			8 Air conditioning		Injection well	
-	i	1 i l	1 Domestic				•	12 Other (Specify below)		
-	- SW	SE					•			
1 1.	x !	!!!	2 Irrigation				0 Observation well			
<u> </u>	<u>.v.</u> ;			il/bacteriological sample	submitted to	Department? Yo	esNo	; If yes,	mo/day/yr sample was sub	
		5	mitted			Wa	ter Well Disinfected?	Yes	* No	
5 TYPE C	OF BLANK	CASING USED:		5 Wrought iron	8 Co	ncrete tile	CASING JOINT	S: Glued	i . 쓮 Clamped	
1 Ste	ei	3 RMP (S	R)	6 Asbestos-Cement	t 9 Oth	ner (specify below	()	Welde	ed	
_2 PV	'C	4 ABS	- 0.4	7 Fiberglass				Threa	ided	
Blank casi	ng diameter	· 5 ·	.in. to //.	ft., Dia	in.	to	ft., Dia	i	idedft.	
Casing hei	ght above I	and surface/.	b. \$	in., weight	160) lbs./	t. Wall thickness or	gauge No	214	
TYPE OF	SCREEN O	R PERFORATIO	N MATERIAL:	.		PVC	10 Asbest	_		
1 Ste		3 Stainles		5 Fiberglass		RMP (SR)				
2 Bra	2 Brass 4 Galvanized steel			6 Concrete tile 9 ABS			12 None used (open hole)			
		RATION OPENIN		5 Gauzed wrapped			* * * * * * * * * * * * * * * * * * * *		•	
	ntinuous sk		Mill slot			ı	8 Saw cut		11 None (open hole)	
					wrapped		9 Drilled holes			
	uvered shut		(ey punched	7 Toro						
SCHEEN-H	PERFORAT	ED INTERVALS:							o	
			From	ft. to .	· · · · · · · · <u>- ·</u> <u>-</u>	ft., Fror	n _,	ft. to	o	
G	RAVEL PA	CK INTERVALS:	: From	14 ft. to .	. ļ .	L. Fror	n	ft. tc	o	
•			From	ft. to					ft.	
GROUT	MATERIAL	.: 1 Neat	cement	2 Cement grout	3 Be	entonite 4				
Grout Inter	vals: Fro	m 🍇	.ft. to 14	ft., From	f	t. to	ft From		. ft. to	
What is the		ource of possible		,		10 Livest			pandoned water well	
1 Septic tank 4 Lateral lin				7 Pit privy		11 Fuel s		15 Oil well/Gas well		
2 Sewer lines 5 Cess poo				· · · · · · · · · · · · · · · · · · ·						
		er lines 6 Seep	•				12 Fertilizer storage 16 Other (specify below)			
			page pit	9 Feedyard					• • • • • • • • • • • • • • • • • • • •	
	om well?	MOTER	. ITUO: 00:6			How mar				
FROM 0	то	78.78.79.15. /17. A :	LITHOLOGIC	LOG	FROM	ТО	LIT	THOLOGI	C LOG	
	6	BROWN CLAS								
6	36	LITE COLOR	t SHALL							
36	43	RED SHALE								
43	46	LITE COLOR	t SHALE							
46	66	RED SHALE								
66	71	HARD LIMES	STONE							
71	80	GRAY SHALL	ing .							
80	\$ 3	LIMESTONE	P. 1897 TOUT							
83	87	LITE COLOR	OC FALLNI							
	•	BED CHAR	SHALL							
87	_98	RED SHALE								
98	109	LITE COLO	R SHALE							
109	118	LIMESTONE								
CONTE	ACTOR'S	OR LANDOWNE	D'S CEDTIFICAT	FION: This water well a	vaa (1) aans	structed (2) reco	activisted or (2) plus	and und	er my jurisdiction and was	
J CONTH	ACTOR 5	/year) 4 / 11	/ 87							
completed	on (mo/day	/year) 🤭 / ÷÷.	207						wledge and belief. Kansas / 87	
				This Water	Weil Hecord					
under the t	ousiness na	me of UMINITE	AL KANSAS I	טעודייידיות	t 51 · · ·	by (signat	ure) Harola	x M	dispersion to Various	
INSTRUC Decertor	TIONS: Use t	ypewriter or ball poir	nt pen. PLEASE PRI	ess rimmly and PRINT cl	early. Please fi	ıı ın blanks, underline	e or cirone the correct ans	wers. Send	d top three copies to Kansas	

to WATER WELL OWNER and retain one for your records.

12-8600000124