


1 LOCATION OF WATER WELL: Fraction NW 1/4 NE 1/4 NW 1/4 Section Number 36 Township Number T 12 S Range Number R 2 E/W

Distance and direction from nearest town or city street address of well if located within city?
 2 1/2 miles East of Abilene, Ks on I-70 Hwy & 2 miles North & 1/4 mile East

2 WATER WELL OWNER: **Don Hunt**
 RR#, St. Address, Box #: **Rt 1** Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: **Abilene, Kansas 67410** Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 129 ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. 83 ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL: 78 ft. below land surface measured on mo/day/yr 4 / 30 / 93
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield: 15+ gpm; Well water was ft. after hours pumping gpm
 Bore Hole Diameter: 9 in. to 129 ft., and in. to ft.
 WELL WATER TO BE USED AS:
 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No *; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes * No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued * Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing diameter: 5 in. to 129 ft., Dia. in. to ft., Dia. in. to ft.
 Casing height above land surface: 40 in., weight: 160 lbs./ft. Wall thickness or gauge No. 214
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From 80 ft. to 129 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 24 ft. to 129 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout intervals: From 3 ft. to 24 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? **EAST** **WILL BE APPROX** How many feet? **100**

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	BROWN CLAY	115	129	LITE COLOR LIMESTONE
2	6	LITE COLOR CLAY			
6	35	LITE COLOR CLAY & SHALE			
35	38	LITE GRAY CLAY & SHALE			
38	50	LITE COLOR SHALE			
50	52	RED CLAY			
52	58	LITE COLOR CLAY & SHALE			
58	61	RED CLAY			
61	71	LITE COLOR CLAY & SHALE			
71	75	GRAY SHALEY CLAY			
75	76	LITE COLOR SHALE			
76	83	LITE COLOR LIMESTONE			
83	98	GRAY SHALE			
98	111	RED SHALE			
111	115	GRAY SHALE & LITE COLOR SHALE			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4 / 30 / 93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 397 This Water Well Record was completed on (mo/day/yr) 5 / 4 / 93 under the business name of **CENTRAL KANSAS DRILLING** by (signature) *Harold D. Martin*

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.