

1 LOCATION OF WATER WELL: County: <u>Dickinson</u>	Fraction <u>NW 1/4 NE 1/4 SW 1/4</u>	Section Number <u>30</u>	Township Number <u>T 12 S</u>	Range Number <u>R 2</u> EW*
---	---	-----------------------------	----------------------------------	---------------------------------------

Distance and direction from nearest town or city street address of well if located within city?

3 1/2 miles South of Talmage, Ks & 1/4 mile East

2 WATER WELL OWNER: <u>Rick Gentry</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # : <u>1249 Indy Rd.</u>	Application Number:
City, State, ZIP Code : <u>Abilene, Kansas 67410</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>60</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered <u>1.18 seep water</u> ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL <u>seep water</u> below land surface measured on mo/day/yr <u>10 / 19 / 99</u>
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield <u>seep water</u> : Well water was ft. after hours pumping gpm
	Bore Hole Diameter: <u>9</u> in. to <u>60</u> ft., and in. to ft.
	WELL WATER TO BE USED AS:
	5 Public water supply 8 Air conditioning 11 Injection well
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
	Was a chemical/bacteriological sample submitted to Department? Yes. No. * ; If yes, mo/day/yr sample was submitted
	Water Well Disinfected? Yes * No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	10 Asbestos-cement
			11 Other (specify)
			12 None used (open hole)
Blank casing diameter in. to ft., Dia in. to ft., Dia in. to ft.			
Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.				
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
				14 Abandoned water well
				15 Oil well/Gas well
				16 Other (specify below)

Direction from well? West Approx How many feet? 800'-900'

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	DARK CLAY	0	2	TOP DARK SOIL
3	7	LITE BROWN CLAY	2	6	BENTONITE
7	9	RED SALTY CLAY	6	20	SAND
9	15	BROWN SANDY SILTY CLAY	20	60	CLAY
15	18	FINE SAND			
18	20	LITE COLOR LIMESTONE			
20	23	GREEN SHALE			
23	26	GRAY SHALE			
26	38	RED SHALE			
38	40	GRAY SHALE			
40	41	HARD DARK LIMESTONE			
41	60	HARD GRAY SHALE			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>10 / 19 / 99</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>397</u> This Water Well Record was completed on (mo/day/yr) <u>1 / 1 / 99</u> under the business name of <u>CENTRAL KANSAS DRILLING</u> by (signature) <u>Harold R. Martin</u>

OFFICE USE ONLY
T
R
EW
SEC.
1/4
1/4
1/4