			ATER WELL RE	CORD	Form WWC-5	KSA 82a	-1212 ID						
1 LOCATION OF WATER WELL: Fraction					Se	ction Number	ı	nship Nu	mber	Range Number			
	ickinso			1/4 SW		1/4	6	T	12	<u> </u>	R 2	E/V X	
			•		of well if located	within city?							
1 mi 2 WATER	le Nort	hof Talma ^{NER:} L. Da	age, Ks. le Bathur	st						·····			
	ddress, Box	# : 771 3	100 Ave.						ard of Agr		vision of Water	r Resources	
3 LOCATE	MELLIO LO	Abile	ne, Ks.	COMPLE	TED WELL	2	ft FLFV	ATION:	Diloculoii I	101110011			
	NECTION N		Depth(s) Gro	undwater	Encountered	1		ft. 2		ft. 3		ft.	
	1 1	1			R LEVEL 40 data: Well wate								
	1	1	Est. Yield	5-30	gpm: Well wate	r was r was	ft.	after		hours pu	imping	gpm	
	-NW -	- NE	WELL WATE	R TO BE	JSED AS: 5	Public water	supply	8 Air con	ditioning	11 Inj	ection well		
X		-	X Domes			Oil field wate		9 Dewate			ther (Specify be		
W	1	E	2 Irrigatio	on 4 i	ndusinai 7	Domestic (ia	wii a gaiueii)	TO MONICO	ing wen.			,	
	-SW	- SE								.,	- (-)		
	-Svv -	- 5E	Was a chemi	cal/bacter	pacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs sample was si Water Well Disinfected? Yes X No								
	1	1	milled					valor vvon L		1. 100	X		
E TYPE C	S	NACINIO LICED		- 14/					VIALO 1014	ITO: Oliver	Y Clam		
5 TYPE OF BLANK CASING USED: 3 RMP (SR)			5 Wro	ught iron estos-Cement	9 Other	8 Concrete tile 9 Other (specify below)			CASING JOINTS: GluedX Clamped Welded				
	X PVC 4 ABS		7 Fibe	5 Wrought iron6 Asbestos-Cement7 Fiberglass						aded			
Blank casin	ng diameter	5	in. to		ft., Dia		in. to		ft., Dia		in. to	ft.	
Casing heig	ght above la	nd surface	12	in.,	weight	2.37		lbs./ft. Wa	II thicknes	ss or guage	e No 02 1	4	
TYPE OF SCREEN OR PERFORATION MATERIAL:						X PVC				10 Asbestos-Cement			
1 Steel 3 Stainless Steel					erglass		8 RMP (SR) 9 ABS			11 Other (Specify)			
2 Bras		4 Galvaniz		6 Con	crete tile					e usea (op	,		
		RATION OPENII				zed wrapped		8 Saw 9 Drille			11 None (ope	n hole)	
	tinuous slot /ered shutte		fill slot (ev punched		7 Torch	wrapped cut)		ft.	
			, ,	72	ft. to		# Fra.						
SCHEEN-F	CHPORAII	ED INTERVALS			ft. to								
G	GRAVEL PA	CK INTERVALS	6: From	20	ft. to	92	ft., Froi	n		ft. to		ft.	
			From		ft. to		ft., Fror	m		ft. to		ft.	
6 GROU	T MATERIA	L: 1 Nea	at cement	2 C	ement grout	X Ber	ntonite	4 Other					
					ft., From								
					within 1/4						bandoned wate		
1 Septic tank 4 Lateral lines										15 Oil well/Gas well			
2 Sewer lines 5 Cess pool				8 Sewage	lagoon	goon 12 Fertilizer stora			e 16 Other (specify below)				
3 Watertight sewer lines 6 Seepage pit				9 Feedyar	d	13 Inse	cticide stora	age					
Direction from	om well?						How ma	any feet?					
FROM	ТО		LITHOLOG	SIC LOG		FROM	то		PLU	GGING IN	TERVALS		
0	2	Topsoil											
2	41	Clay, ta											
41	100	Shale, g	ray w/ li	imestor	ne layers								
						ļ							
							 						
7 CONTRA	ACTOR'S C	R LANDOWNF	R'S CERTIFIC	CATION: T	his water well w	as (1) const	ructed. (2) re	constructed	or (3) pl	ugged und	er my jurisdicti	ion and was	
					This Water								
under the bi	usiness nam	ne of Pete	erson Irr	igation	n, Inc.		by	(signature)	MA	ie de	tto	-	
INCTRUCT	TIONIC: Line time	weiter or bell malet or	0/ 5405 0050	CERNIN	DOM'T aleasty Diago	a fill in blanks	adadina ar airala t		ara Canditar	three eerice	to Kanaga Danartm	ant of Hanith	

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.