KOLAR Document ID: 1405543

	WELL F			WWC-5			ion of Wate						
		Correction		ge in Well Use			rces App. N			Well ID			
				Fraction	1/4 1/4	Secti	on Numbe	er	Township Numb		nge Number		
County: 1/4 1/4 1/4 2 WELL OWNER: Last Name: First: S						" D.1.#0	T S R B W ral Address where well is located (if unknown, distance and						
							rection from nearest town or intersection): If at owner's address, check here:						
Address:	Address:							1 mici	isection). If at owner	5 autress,			
Address:													
City:			State:	ZIP:									
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:													
	SECTION BOX. Depth(s) Groundwater Encountered: 1)								Longitude:				
1	N 2) ft. 3) ft., or 4) WELL'S STATIC WATER LEVEL:								WGS 84 INAI		NAD 27		
			below land surface, measured on (mo-day-yr				Source for Latitude/Longitude:)		
NW	NE		above land surface, measured on (mo-day-yr				(WAAS enabled? ☐ Yes ☐ No)						
		~	Pump test data: Well water was ft.				□ Land Survey □ Topographic Map						
w	E	after	after hours pumping				Online Mapper:						
SW	after	after hours pumping											
			Estimated Yield:gpm			6 Elevation:ft. Ground Level							
	S	Bore Hole I	Bore Hole Diameter: in. to if				Source: Land Survey GPS Topograph						
1 r				in. to	ft.				Other				
7 WELL WATER TO BE USED AS:													
1. Domestic ☐ House				ter Supply: well ID			10. □ Oil Field Water Supply: lease 11. Test Hole: well ID						
			7. Aquifer Recharge: well ID										
					well ID				al: how many bores				
2. 🗌 Irrigati				al Remediation: well					Loop 🔲 Horizont				
	3. □ Feedlot □ Air Sparge □ Soil Vag												
	4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:													
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded													
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.													
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)													
Brass Galvanized Steel Concrete tile None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)													
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.													
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
				ft., From	ft. to		ft., From	•••••	ft. to	ft.			
Nearest sou		le contaminati	on: Lateral Line	es 🗌 Pit Privy		Пτ	ivestock Pe	anc		cide Storage			
			Cess Pool	\square Sewage I			uel Storage			oned Water			
	ight Sewer Li		Seepage Pit				ertilizer Sto			ll/Gas Well			
Direction from well? ft.													
10 FROM	TO	1	ITHOLOG	GIULUG	FRO	M	ТО	LII	HO. LOG (cont.) or	PLUGGIN	GINTERVALS		
	Notes:												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)													
under the b	usiness nam	<u>e of</u>			·····	•••••							
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.													
-		eks.gov/waterwel					, Sante 720,	, . opt	, 1200300012 130		SA 82a-1212		