PRINT CLEARLY. WATER WELL RECORD Kansas State Dept. Of Health KSA 82a-1201-1215 (Water Well Contractors) Forbes-Blda, 740 95.21648 38.97702 Topeka, Kansas 66620 Section number Town number Township name Range number 1 Location of well: Distance and direction from nearest town or city: Address: 9TH MAPLE LAWAENCE KS. Street address of well location if in city: Locate with "X" in section below: 4 Well depth: 45 ft. Date of completion 21976 Sketch map: Well diameter \_\_\_\_\_\_\_ in. 5 🗶 Cable tool 🗌 Rotary 🔲 Driven 🔲 Dug Hollow rod Jetted Bored Reverse rotary 6 Use: Domestic Public supply Industry ☐ Irrigation ☐ Air conditioning ☐ Commercial 🖬 Test well 🔲 🗕 7 Casing: Material 5755 Height: above/below Threaded Welded Surface 121 Surface 12 in. -1 Mile-\_\_\_ in. to \_\_\_ ft. depth Drive shoe? Yes No \_\_\_ in. to 🕰 ft. depth Type and color of material From Screen:
Manufacturer UOP TOHNSON

TypeLS:STFFL Dia. 4''

Slot/gauze 30 Length 3 Soil Slot/gauze 30 Length \_\_\_\_\_ Set between 42 ft. and 45 ft SILTY SAND 12 BROWN MEDIUM SAND Gravel pack Yes X No Size range of material — SILTY SAND BROWN 9 Static water level: 18 ft. below land surface Date 2–19–76 FINE SILTY SAND 35 10 Pumping level below land surfaces: ft. after \_\_\_\_\_hrs. pumping \_\_\_\_ g.p.m. \_\_\_\_ ft. after \_\_\_\_\_hrs. pumping \_\_\_\_ g.p.m. Estimated maximum yield \_\_\_\_\_ g.p.m. EDIUM SAND BLUE 11 Water sample submitted: Yes **X**N₀ Inches above grade 12 Well head completion: Pitless adapter 13 Well grouted? XYes ∏ No Neat cement Bentonite Depth: From 6 ft. to 5 ft. 14 Nearest source of possible contamination: ft. \_\_\_\_\_ Direction \_\_\_\_\_ Well disinfected upon completion? 🔲 Yes **⊠**N∘ Not installed 15 Pump: Manufacturer's name \_\_\_ Model number \_\_\_\_\_ HP \_ Length of drop pipe \_\_\_\_ \_\_\_ ft. capacity \_\_\_\_ g.m.p. Type: Submersible Turbine ☐ Jet Reciprocating (use a second sheet if needed) Certrifugal Other 16 Remarks; elevation 17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Topography: JUNGNAM BAIS DMILLING CO Пнііі Slope Upland uthorized represe **▼** Valley Forward the white, blue and pink copies to the Kansas State Dept. Of Health. Form WWC-5