CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	Location changed to:
Section-Township-Range: 3/-/2 5-20 F Fraction (1/4 1/4 1/4):	31-125-20E
Fraction (1/4 1/4 1/4):	52 SE NW
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: Wellsite address, CI	ty street map, and
verification method: Wellsite address, Commapping tool on KGS we	$b \le i + e$ initials: PR date: $\frac{9/29/2010}{}$
submitted by: Kansas Geological Survey, Data Resources Library, 1930 Co	

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

				R WELL RECORD	Form WWC-			
-	ON OF WAT		Fraction	14 KJ	Sec	Ction Number		Range Number
County:		TAM SOURCE IN	W of the street of	address of well if locate			T /2 s	R RO DW
Distance a				CAME, AN	-			
0 1444 TET			E CRAME		DEE NO.	<u>E-</u>		
	R WELL OW		TRENSAS				Board of Assistable	we Division of Water Becourses
City State	Address, box	X#	RENCE.				Application Numb	ure, Division of Water Resources
City, State	E WELL'S L	OCATION WITH	DEDTH OF	OMOLETED MELL	17	4 CICV	APPRICATION NUMBER	0,51
AN "X"	IN SECTIO	N BOX:	_					ft. 3
- r		'		4	<i>3</i>			n. 3
†	i	;	1					s pumping gpm
-	NW	NE						s pumping gpm
<u>'</u>	1							in. toft.
ž w h		E	1	TO BE USED AS:	5 Public water			11 Injection well
-	i	i	1 Domestic					12 Other (Specify below)
-	SW	SE	2 Irrigation	4 Industrial	7 Lawn and	garden only	Monitoring well	,
1			Was a chemical	bacteriological sample	submitted to D	epartment?	resNo	yes, mo/day/yr sample was sub
I -			mitted			w	ater Well Disinfected? Ye	s No 🗡
5 TYPE (OF BLANK	CASING USED:		5 Wrought iron	8 Concr	rete tile	CASING JOINTS: (Glued Clamped
1 Ste		3 RMP (S	SR)	6 Asbestos-Cement	9 Other	(specify belo) ` (wc	Velded
(2)PV		4 ABS	Vicenza	7 Fiberglass				Threaded. X
								in. to ft.
Casing he	ight above la	and surface		.in., weight			./ft. Wall thickness or gaug	ge No <i>SSM</i> %.
		R PERFORATIO			(J) PI		10 Asbestos-	
1 Ste		3 Stainles		5 Fiberglass		MP (SR)	• • •	ecify)
2 Br		4 Galvani		6 Concrete tile	9 AE	35	12 None used	
		RATION OPENIN			zed wrapped		8 Saw cut	11 None (open hole)
	ontinuous sid	_	Aill slot		wrapped		9 Drilled holes	
	ouvered shut	ter	(ey punched	7 Torc	4		(apading)	ft. toft.
SCHEEN	PERFORATI	ED INTERVALS.						ft. toft.
	GRAVEL PA	CK INTERVALS						ft. toft.
Ì	G10114 CE 171		From	ft. to		ft Fr		ft. to ft.
6 GROUT	T MATERIAL	.: 1 Neat	cement	63	3 Bento	onite , 4	0.4	
Grout Inter	rvals: From	m. /	.ft. to4.	ft., From	.4 ft.	to 6	ft., From	ft. toft.
What is th	e nearest so	ource of possible	contamination:					14 Abandoned water well
1 Se	eptic tank	4 Late	ral lines	7 Pit privy		11 Fue	1 storage	15 Oil well/Gas well
	ewer lines	5 Cess	•	8 Sewage lag	goon	12 Fert	ilizer storage	16 Other (specify below)
	•	ver lines 6 See	• • •	9 Feedyard			ecticide storage	
	from well?	MORTH W		100	50014	+	any feet? (5	NG INTERVALS
FROM	5	Deck TT.	LITHOLOGIC	LOG	FROM	ТО	PLUGGII	NG INTERVALS
6		BACKFIL	. (1	mw5	
.5	15	2144 0	0122h C	*/ T U		1	7/100 5	
	12	COH, 0	R/BRN, S	2611		 		
15	17	C1.4 60.	BRN, TR	CRUL				
		1, 010						
						_		
						ļ		
		L	v			1		
				ION: This water well w	was (1) constru	ucted, (2) red	constructed, or (3) plugged	d under my jurisdiction and was
		/year)						ny knowledge and belief. Kansas
Water We	Il Contractor			This Water \				- 8 - 93
	business na				Tuc	by (sign		4 KoW
INSTRU	UCTIONS: Use t	ypewriter or ball poin ment. Bureau of Wate	er, Topeka, Kansas 666	FIRMLY and PRINT clearly. F 520-0001. Telephone: 913-296	Please fill in blanks i-5545. Send one t	i, underline or cir to WATER WELL	cle the correct answers. Send top OWNER and retain one for your	three copies to Kansas Department records.