MW-2

LOCATION OF WATER WELL Fraction Fraction Social Number Township Number T
WATER WELL OWNER: LATA - Lawrance Service Serv
Board of Agriculture, Division of Water Res RIF#, St. Address, Box # 170 MUNITAD RIFE STATIC WATER LEVEL 2
Board of Agriculture, Division of Water Res Application Number: LOCATE WELL'S LOCATION WITH 4 Depth of COMPLETED WELL. 20 ft. ELEVATION: AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL 12 10 ft. below land surface measured on moldaylyr 7 11 10 ft. after hours pumping Bore Hole Diameter 8 0 17 in. to water was ft. after hours pumping Bore Hole Diameter 8 0 17 in. to water was ft. after hours pumping Bore Hole Diameter 8 0 17 in. to water was ft. after hours pumping Bore Hole Diameter 8 0 17 in. to water was ft. after hours pumping Bore Hole Diameter 8 0 17 in. to water was ft. after hours pumping Bore Hole Diameter 8 0 17 in. to water was ft. after hours pumping Bore Hole Diameter 8 0 17 in. to water was ft. after hours pumping Bore Hole Diameter 8 0 17 in. to water was ft. after hours pumping Bore Hole Diameter 8 0 17 in. to water was ft. after hours pumping Bore Hole Diameter 8 0 17 in. to water was ft. after hours pumping Bore Hole Diameter 8 0 17 in. to water was ft. after hours pumping Bore Hole Diameter 8 0 17 in. to water was ft. after hours pumping Bore Hole Diameter 8 0 17 in. to water was ft. after hours pumping 1 Domestic 3 Feedlot 6 0il field water supply 8 Air conditioning 11 Injection well Was a chemical/bacteriological sample submitted to Department? Yes No water Well Disinfected? Yes No water Well Disinfected
CITY STATE CASING USED: TYPE OF BLANK CASING USED: TYPE OF BLANK CASING USED: Type OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass Blank casing diameter 2 In. to 1. to
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 2 1 1 th. below land surface measured on molday/yr 7 1 1 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
WELL'S STATIC WATER LEVEL 1. 1. 1. 1. below land surface measured on mo/day/yr 7/17 920 Pump test data: Well water was
WELL'S STATIC WATER LEVEL 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
WELL'S STATIC WATER LEVEL (
Est. Yield gpm: Wall water was ft. after hours pumping Bore Hole Diameter 8.5. Harifin to 2.6 ft., and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below 2 Irrigation 4 Industrial 7 Lawn and garden only 4 Monitoring well 2 Irrigation 4 Industrial 7 Lawn and garden only 4 Monitoring well 3 Was a chemical/bacteriological sample submitted to Department? Yes
Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 8.5. Harifin to 2.6 ft., and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below Water Well Disinfected? Yes No X was a chemical/bacteriological sample submitted to Department? Yes
Bore Hole Diameter 8.5 17th to 20 ft., and in. to well line to well well water Supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below was a chemical/bacteriological sample submitted to Department? Yes. No. Will be water well Disinfected? Yes No witted water well Disinfected? Yes No X with water well Disinfected? Yes No X well ded Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Threaded X PVC 4 ABS 7 Fiberglass Threaded X Threaded X PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 1 Other (speci
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below 2 Irrigation 4 Industrial 7 Lawn and garden only Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes
2 Irrigation 4 Industrial 7 Lawn and garden only Monitoring well MW 7
Was a chemical/bacteriological sample submitted to Department? Yes
Was a chemical/bacteriological sample submitted to Department? Yes
TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 7 Fiberglass 7 Fiberglass 1 Steel 3 Stainless steel 1 Steel 3 Stainless steel 5 Fiberglass 5 Fiberglass 7 Fiberglass 8 RMP (SR) 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 12 None used (open hole) 1 Continuous slot 2 Louvered shutter 4 Key punched 6 Wire wrapped 7 Torch cut 1 Other (specify) 1 Continuous slot 3 Mill slot 4 Key punched 7 Torch cut 1 Other (specify)
TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded 1 Steel 3 Stainless steel 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 1 Other (specify) 10 Asbestos-cement 1 Other (specify) 11 Other (specify) 12 None used (open hole) 13 CREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 7 Torch cut 10 Other (specify) 10 Other (specify) 11 Other (specify) 12 None used (open hole) 13 CREEN-PERFORATED INTERVALS: 14 From 15 Gauzed wrapped 16 Wire wrapped 17 Torch cut 18 Threaded 19 District of the company of the comp
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Threaded Stank casing diameter 2 in. to 6 ft., Dia in. to 7 ft., Dia i
PVC 4 ABS 7 Fiberglass Threaded. X. Stank casing diameter 2 in to 6 ft., Dia 6 in to 7 ft., Dia 6 in to 7 ft., Dia 6 in to 7 ft., Dia 7 ft., Dia 7 in to 7 ft., Dia 7
lank casing diameter in. to of t., Dia in. to ft., Dia ft., Dia in. to ft., Dia .
Assing height above land surface. O in., weight SCH 40 lbs./ft. Wall thickness or gauge No. YPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From ft. to ft., From ft
YPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From ft. to ft., From ft.
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From ft. to ft., From f
CREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 2 Louvered shutter 4 Key punched CREEN-PERFORATED INTERVALS: From From ft. to ft., From ft. to
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From ft. to ft., From ft., F
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From ft. to ft., From
CREEN-PERFORATED INTERVALS: From. 4 ft. to 24 ft., From ft. to ft., From ft., Fro
From. ft. to 26 ft., From ft. to ft. to ft., From ft. to ft.
GROUT MATERIAL: 1 Neat cement @Cement grout & Bentonite 4 Other
arout Intervals Drom. O ft. to .3 ft. 8 rom
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage
Process From well? How many feet? FROM TO PRINCIPLE INTERVALS
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS
10 De Sully Cally,
26' TD und Brehow
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (2) reconstructed, or (3) plugged under my jurisdiction are
ompleted on (mo/day/year) . 61.5.798 and this record is true to the best of my knowledge and belief. I
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (i) constructed, (2) reconstructed, or (3) plugged under my jurisdiction are completed on (mo/day/year). 615/96