WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No. MW11
1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number
County: Douglas SW 1/2 NW 1/4 NW 1/4 31 T 12 S R 20E E/W
Distance and direction from nearest town or city street address of well if located within city? 832 Louisiana Street, Lawrence KS 66044
2 WATER WELL OWNER: KDHE-BER
114 000 40700
LOCATE WELL'S LOCATON WITH
AN "X" IN SECTION BOX:  DEPTH OF COMPLETED WELL  20 ft. ELEVATION:  856.80 TOC
N Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.
WELL'S STATIC WATER LEVEL 11.40 ft. below land surface measured on mo/day/yr 6/9/05
Pump test data: Well water was ft. after hours pumping gpm
; ; Est. Yield gpm: Well water was ft. after hours pumping gpm
₩ E Bore Hole Diameter in. to ft. and in. to ft.
Bore Hole Diameter in. to ft. and in. to ft.  WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
2 Imgation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well
₩ Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was
S submitted Water Well Disinfected? Yes No X
5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
(2)PVC 4 ABS 7 Fiberglass Threaded Λ
Blank casing diameter 2 in. to 20 ft., Dia in. to ft., Dia in. to ft.
Casing height above land surface 0 in., weight lbs./ft. Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL: (7)PVC 10 Asbestos-cement
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot (3) Mill slot 6 Wire wrapped 9 Drilled holes
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 5 ft. to 20 ft. From ft. to ft.
From ft. to ft. From ft. to ft.
GRAVEL PACK INTERVALS: From 3 ft. to 20 ft. From ft. to ft.
From ft. to ft. From ft. to ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Cement 0-2'
Grout Intervals From 2 ft. to 3 ft. From ft. to ft. From ft. to ft.
What is the nearest source of possible contamination:  10 Livestock pens 14 Abandoned water well
1 Septic tank 4 Lateral lines 7 Pit privy (11) Fuel storage 15 Oil well/ Gas well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage
Direction from well?  How many feet?
FROM TO CODE LITHOLOGIC LOG* FROM TO PLUGGING INTERVALS
0 2 CL Clay w/silt
Flushmount waiver by D. Taylor
3 5 CL Clay w/silt
8 10 CL Clav w/silt.
8 10 CL Clay w/silt,
13 15 CL Clay w/silt
1111 1 1 2000
BUREAU OF WATER
*Description generalized from conditions
encountered throughout the site.
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was
completed on (mo/day/yr) 5/10/06 and this record is true to the best of my knowledge and bélief. Kansas
Water Well Contractor's License No. 757 This Water Well Record was completed in mo/day/yr 6/19/06
under the business name of Larsen & Associates, Inc by (signature) // What INSTRUCTIONS:. Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment Bureau of Water, 1000 S W
Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.