			(KG Pertires)			
WATER WELL RECORD		WWC-5	Division of Water	r Resources; App. No		
1 LOCATION OF WATER V	• /	V & NW	Section Number	Township Number T 12 S	Range Number R ZO E	
	nearest town or city street addre			Systems (decimal degr		
located within city? 3 80	? North Streets	- Ven 11	Latitude: 12	38 SEE	7.8" Not?	
·	\boldsymbol{k}	1	Longitude:	1 900 13	1 58 350	
2 WATER WELL OWNER:	City of Lawre 6 E. 6th St., Po.	nce heasus	Elevation:		30.37	
RR#, St. Address, Box # :	GE. GEL St. Po.	Box 708	Datum:		Lift.	
City, State, ZIP Code :	Lowrence Ks. 6	6044. 6700		Method:		
3 LOCATE WELL'S 4 DE	PTH OF COMPLETED WE	CLL				
LOCATION		_	·			
WITH AN "X" IN Depth	n(s) Groundwater Encountered L'S STATIC WATER LEVEL	(1)	ft. (2)	ft. (3)	ft.	
SECTION BOX: WELL	L'S STATIC WATER LEVEL		below land surface	measured on mo/day/	/yr/1././3/.06	
N	Pump test data: Well water	was 3.8	ft. after	hours pumping	2.5.0 gpm	
	Yieldgpm: Well water					
NW NF WEL	L WATER TO BE USED AS:					
W E	mestic 3 Feedlot 6	Oil field water su	pply (9) Dev	vatering 12 Oth	ier (Specify below)	
	gation 4 Industrial 7	Domestic (lawn &	k garden) 10 Moi	nitoring well		
SW SE Was a	a chemical/bacteriological sam	nle submitted to l	Denartment? Vec	No ¥	If yes mo/day/yrs	
	le was submitted					
Samp	to was submitted	wate	i well distillected.	105.44 110	•••	
5 TYPE OF CASING USED:	5 Wrought Iron	9 Compress tile	CASIN	G JOINTS: Glued	Clampad	
1 Steel 3 RMP (SR)		9 Other (specify			Clamped	
2)PVC 4 ABS	7 Fiberglass		·····			
Blank casing diameter 12						
Casing height above land surface	e 2.4 in., Weigh	it	lbs./ft. Wall thi	ckness or guage No	Seh 40	
TYPE OF SCREEN OR PERFO	RATION MATERIAL:					
1 Steel 3 Stainless S	teel 5 Fiberglass 💋	PVC 9 A	BS	11 Other (Specify).		
2 Brass 4 Galvanized		RM(SR) 10 A	Asbestos-Cement	12 None used (open	hole)	
SCREEN OR PERFORATION (
l Continuous slot 3 Mil	Il slot 5 Guazed wrappe	d 7 Torch cut	9 Drilled holes	11 None (open ho	ile)	
2 Louvered shutter 4 Key SCREEN-PERFORATED INTE	y punched 6 Wire wrapped	8 Saw Cut	, 10 Other (specif	y)		
SCREEN-PERFORATED INTE	From	. II. 10	ft From	ft to	II.	
From						
	From	. ft. to	ft., From	ft. to	ft.	
			,			
6 GROUT MATERIAL: 1 N	Neat cement 2 Cement grout	3 Bentonite	4 Other . B. En.	ton telloy	d.l.wecy	
Grout Intervals: From	. O ft. to & ft., F	rom	ft. to f	t., From	ft. toft.	
What is the nearest source of pos		10.71	101		1604 ()6	
1 Septic tank	4 Lateral lines 7 Pit privy	10 Livesto	_	•	16 Other (specify	
2 Sewer lines	5 Cess pool 8 Sewage lag 6 Seepage pit 9 Feedyard		U	oandoned water well il well/gas well	below)	
Direction from well? N ±		How man	Let Storage 13 Of $4 \times 13 \times 1$	a.'		
FROM TO	LITHOLOGIC LOG	FROM		PLUGGING INTI		
0' 7' Fill (Topsol Clay Campest		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	toute/C	,	
7' 11' Clas	169821, Clay, Complete	Sierria C			Uttions	
11' 27' Fine	to Medium San	1		and wich	7	
27' 29' 5.	de Clay	-				
27' 29' Sa. 29' Med	1 +0/0	To a of				
44' 46' 616	151.1	13,5				
	7					
	<u> </u>					
7 CONTRACTOR'S OR LANdunder my jurisdiction and was co	DOWNER'S CERTIFICATI	ON: This water	well was (1) const	ructed, (2) reconstructe	ed, or (3) plugged	
under my jurisdiction and was co	ompleted on (mo/day/year) //	<i>l 9. 6.</i> € and	this record is true	to the best of my know	vledge and belief.	
Kansas Water Well Contractor's	License No 5.0.9 Thi	s Water Well Red	cord was completed	l on (mo/day/year)	Z. J. J.S. J. O. 6	
under the business name of G	iftin Dewstering A	J.C. LLC by	(signature)	ack Winter	yh Control	
INSTRUCTIONS: Use typewriter or be three copies to Kansas Department of He	oall point pen. <u>PLEASE PRESSIPIRM</u>	<u>1LY</u> and <u>PRINT</u> clear ter. Geology Section	iy. Please fill an blank 1000 SW Iarkann St	s, underline or circle the co Suite 420. Topeka Kans	66612-1367. Telephone	
785-296-5522. Send one to WAT	TER WELL OWNER and retain	one for your re	cords. See of \$5.	.00 for each constructed	well. Visit us at	
http://www.kdhe.state.ks.us/geo/waterwe	ells.					