1 LOCATION OF WATER WELL: Fraction
Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 dig
HOCKIEU WIIIIII CIIV! 1004 IV. 3 SHEEL LAWIENCE, NS LAUIUUE. IV 30.30072
Longitude: W 95.23233°
2 WATER WELL OWNER: Lawrence Stop 2 Shop Elevation: RIM: 816.90 TOC: 816.53
RR#, St. Address, Box # : 1010 N. 3 rd Street Datum: above mean sea level Deta Collection Method: local courses.
City, State, ZIP Code : Lawrence, KS Data Collection Method: legal survey 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 14.5 ft.
LOCATON MW10
WITH AN "X" IN Depth(s) Groundwater Encountered 1 ft. 2 ft. 3
SECTION BOX: WELL'S STATIC WATER LEVEL 7.9 ft. below land surface measured on mo/day/yr 5/23/06
N Pump test data: Well water was ft. after hours pumping g
N Pump test data: Well water was ft. after hours pumping gg Est. Yield gpm: Well water was ft. after hours pumping gg
NW-+NE WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
W E Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify belo 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/y
Sample was submitted Water Well Disinfected? Yes No X
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
(2) PVC 4 ABS 7 Fiberglass Threaded X
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 4.5 ft., Dia in. to ft., Dia in. to
Casing height below land surface 0.37 ft., Weight lbs./ft. Wall thickness or gauge No.
TVDE OF SCUEEN OU DEDGOUATION MATEULAL.
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:
1 Continuous slot (3) Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 4.5 ft. to 14.5 ft. From ft. to
From ft. to ft. From ft. to
GRAVEL PACK INTERVALS: From 3.5 ft. to 14.5 ft. From ft. to
From ft. to ft. From ft. to
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other concrete, 0-2ft. Grout Intervals From 2 ft. to 3.5 ft. From ft. to ft. From ft. to
What is the nearest source of possible contamination:
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (spec
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/gas well
Direction from well? NW How many feet? ~84
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS
0 1 Grass, Topsoil, Silty clay, dark brown, Moderate plasticity, moist, no odor
3 5 Silty clay, brown, moderate plasticity,
Moist, no odor
8 10 Silty clay, brown, moderate plasticity,
Wet, no odor 12 14 Silty clay, brown, moderate plasticity,
Wet, no odor
14.5 Total Depth Flushmount waiver from BOW
7 CONTROL CROPIC OR LANDOWNIERS CERTIFICATION TO
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugg under my jurisdiction and was completed on (mo/day/year) 05/23/08 and this record to the best of my knowledge and believe to the best of my knowledge.
Kansas Water Well Contractor's License No. 757 . This Water Well Record was completed on (mo/day/year) 7/31/08
under the business name of Larsen & Associates, Inc. by (signature)
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send ton three conies to Kansas Department of Health and Environment, Bureau of Water
Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Seed one to WATER WELL OWNER and retain one