WATER WELL RECORD		Form WWC-5		Divisio	on of Water	Resources App. No	o. L	
1 LOCATION OF WATER WELL:		Fraction		Section N		Township No.		
County: Leavenworth		145W45L		1			R O DE □W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) in								
from nearest town or intersection: If at owner's address, check here				Latitude: (in decimal degrees)				
				Longitude: (in decimal degrees) Elevation:				
-					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Dustin +Jenife - Hall				Collection Method:				
RR#, Street Address, Box #: 14838 / DCCC & K.d.					GPS unit (Make/Model:)			
City, State, ZIP Code						Map, Land Survey		
3 LOCATE WELL	LANCE	ence, \$5.1	d6577	Est. Accur	racy: $\square <$	3 m, <u></u> 3-3 m, <u></u>	5-15 m, ∐ >15 m	
3 LOCATE WELL WITH AN "X" IN	4 DEPTH OF	COMPLETED WEL	L	70	ft.			
SECTION BOX:								
N	Depth(s) Groundwater Encountered (1). 100-1.70. ft. (2)							
	Pump test data: Well water wasft. after hours pumping							
EST. YIELD. 20gpm, Well water was							ping gpm	
W					ft., andft.			
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering					othermal	njection well		
SW SE							Other (Specify below)	
Irrigation								
Was a chemical/bacteriological sample submitted to Department? Yes V No If yes, mo/day/yr sample was submitted								
Water well disinfected? \(\sum \) Yes \(\sum \) No								
•								
5 TYPE OF CASING USED: Steel PVC Other Other								
CASING JOINTS: Q Glued Clamped Welded Threaded Casing diameter in. to 154 ft., Diameter in. to ft., Diameter ft.,								
Casing height above land surface. 34 in., Weight .5.02.3.1.lbs./ft., Wall thickness or gauge No25.1								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From 1.7.9 ft. to .35 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From J. J. II. to . Z. II., From, II. to II., From II., From II., From II., From II.								
Septic tank Lateral lines Pit privy Livestock pens Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Coll well/gas well ☐ C								
Direction from well			. Distance	from well .	<u> </u>	·····		
FROM TO	LITHOLOG	IC LOG	FROM	TO L	ITHO. LC	OG (cont.) or PLU	GGING INTERVALS	
	+ clay	····						
24 26 Clay	+ Grave		ļ					
26 27 566			 					
27 32 lime								
3à 170 Sano	1stone		+ +				7-57-77-78-78-78-78-78-78-78-78-78-78-78-78	
			+					
			 					
	t with min							
			† · · · · · · · · · · · · · · · · · · ·					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 3.6./ This Water Well Record was completed on (mo/day/year). 4.3								
under the business name of Evans Energy Dev. Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Ser								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								