WATER WELL RECORD			Form W	WC-5			r Resources App. No	0		
1 LOCATION OF WATER WELL: County: Douglas			Fraction NE 1/4 SW 1/4	1/4 1/4		on Number 30	Township No. T 12 S	Range Number R 20 ZE W		
	Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
from	from nearest town or intersection: If at owner's address, check here .						Latitude: .38.9762 N (in decimal degrees)			
	Southeast Corner of N 2nd Street & Elm Street					Longitude: 95.2349 W (in decimal degrees)				
Law	Lawrence, KS					Elevation: .800				
2 WATER WELL OWNER: Bowersock Mills & Power Co.						Collection Method:				
			ssachusetts		GPS unit (Make/Model:)					
			ce. KS 66044			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 46										
	SECTION BOX: Depth(s) Groundwater Encountered (1).3									
520.	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr									
Pump test data: Well water wasft. after hours pumping								oing gpm		
EST. YIELD			gpm. Well water was							
W       E   Bore Hole Diame			eter 42 in. to 13 ft., and 30 in. to 46 ft.							
		□ □ Domostio	To BE USED AS: L	D BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below)						
SW   SE						other (specify below)				
Was a chemical/bacteriological sample submitted to Department?  Yes  No										
S If yes, mo/day/yr sample was submitted										
Water well disinfected?   Yes   No										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter .12										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel										
Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot  Guize wrapped  Torch cut Drilled holes None (open hole)										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)										
SCREEN-PERFORATED INTERVALS: From										
From										
GRAVEL PACK INTERVALS:         From										
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From .1										
What is the nearest source of possible contamination:										
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)										
Sewer lines										
Direc	ction from	n well				ell				
FROM	TO	LITHOLOG	IC LOG	FROM	TO	LITHO. LC	G (cont.) or PLU	GGING INTERVALS		
0	11	Dirt and Boulders		ļ		ļ				
11	20 24	Fine Sand		<del> </del>		<del> </del>	<del></del>			
20	38	Silty Clay Sand & Gravel		<del>  </del>						
38	46	Grey Shale		<b>†</b>						
		5 wells were drilled in series								
		onsite				ļ				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  ☐ constructed, ☐ reconstructed, ☐ reconst										
under my jurisdiction and was completed on (mo/day/year) .08/08/2011 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 509 This Water Well Record was completed on the day/year 11/28/2011										
under the business name of Griffin Dewatering, North Central, LLC by (signature)										
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and cleck the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.										
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at										
http://www.kdheks.gov/waterwell/index.html.										
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy										