KOLAR Document ID: 1367599

				Division of Water				
<u> </u>	<u> </u>	e in Well Use		ources App. No		Well ID	as Number	
1 LOCATION OF WATER WELL: County:		Fraction 1/4 1/4	1/4 Se	ction Number	Township Numb	er Ran	ige Number □ E □ W	
2 WELL OWNER: Last N		-	ıral Address v	· · ·				
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:								
Address:								
Address:								
City: 3 LOCATE WELL	State:	ZIP:						
WITH "X" IN	/ DEPTH OF COMPLETED WELL.				ft. 5 Latitude :(decimal degrees)			
SECTION BOX:	Depth(s) Groundwater Encountered: 1)				Longitude:(decimal degrees)			
N	2) ft. 3) ft., or 4) ☐ Dry V WELL'S STATIC WATER LEVEL:			Datum: WGS 84 NAD 83 NAD 27				
	below land surface, measured on (mo-day-yr)				for Latitude/Longitude S (unit make/model:		,	
					(WAAS enabled?		,	
	Pump test data: Well water was ft.			☐ Land Survey ☐ Topographic Map				
W E	after hours pumping gpm			Online Mapper:				
SW SE	Well water was ft. after hours pumping gpm							
	after hours stimated Yield:		gpm	6 Elevat	ion:ft.	Ground	Level TOC	
			in. to ft. and		Source:			
mile				Other				
7 WELL WATER TO BE USED AS:								
1. Domestic:		ter Supply: well ID		10. ☐ Oil	Field Water Supply: 16	ease		
☐ Household		g: how many wells?		11. Test Hole: well ID				
☐ Lawn & Garden	-							
☐ Livestock 2. ☐ Irrigation	<u> </u>				12. Geothermal: how many bores?			
3. ☐ Feedlot	☐ Air Sparge ☐ Soil Vapor Extraction				b) Open Loop Surface Discharge Inj. of Water			
4. ☐ Industrial	Auton		13. Other (specify):					
4.								
Water well disinfected? \square Yes \square No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter in. to ft., Diameter ft., Diameter ft., Diameter ft.								
Casing height above land surface in. Weightlbs./ft. Wall thickness or gauge No								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From ft. to ft., From ft., From ft. to ft.								
Nearest source of possible con	ntamination: Lateral Lines	a Dit Duisses	_	Livestock Pen	🗖 Inconti	ida Ctamana		
☐ Septic Tank ☐ Sewer Lines	Cess Pool	s ☐ Pit Privy ☐ Sewage Lag		Fuel Storage		cide Storage oned Water		
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
Other (Specify)								
Direction from well?								
10 FROM TO	LITHOLOG	GIC LOG	FROM	TO	LITHO. LOG (cont.) or	PLUGGIN	G INTERVALS	
				+				
	Notes:							
11 CONTRACTORIS OR LANDOWNER'S CERTIFICATION. This area and the second s								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo_day-year) and this record is true to the best of my knowledge and belief								
under my jurisdiction and was completed on (mo-day-year)								
under the business name of								
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212								