



11  
11  
COPY



CAHOY PUMP SERVICE

SUMNER, IA  
Corporate Office  
563-578-1130

MARNE, IA  
712-781-2030

**DRILLER'S LOG**

CLIENT: Kansas PWWSD #25

WELL: B-1

DATE STARTED: 3/8/2018

DATE COMPLETED: 3/9/2018

DRILLER/LIC.#: 793

County: Douglas

GPS: 38° 57.735N 95° 11.577W

\_\_\_ mi N/S and \_\_\_ mi E/W of intersection of \_\_\_\_\_ and \_\_\_\_\_

\_\_\_ % of the \_\_\_ % of the \_\_\_ % of \_\_\_\_\_ Sec \_\_\_\_\_ TWP \_\_\_\_\_ RNG \_\_\_ E/W

ROD#	LENGTH	DEPTH	FORMATION DESCRIPTION	DEPTH STARTED	DEPTH ENDED
24" drag	5' 6"	5' 6"	Silty brown clay	0'	12.0'
Kelly	22' 6"	28.0'	Fine brown sand "tight"	12.0'	15.0'
1 <sup>st</sup> rod	21.0'	49.0'	Fine to med rustd brown	15.0'	22.5'
2 <sup>nd</sup> rod	10' 6"	59' 6"	Sand w/clay streak from 15.5'-18'		
			Med rusty sand	22.5'	35.0'
			Few clay streaks from 31'-34'		
			Med to coarse gray sand	35.0'	38.0'
			Fine to med uniform gray sand	38.0'	44.5'
Screen casing			Med gray sand & gravel	44.5'	45.0'
Screen (SS)	20' 11"		Med to coarse gray sand w/pebbles	45.0'	53.5'
Casing Certilok	20.0'		Med to coarse gray sand w/pebbles	45.0'	53.51'
Casing Certilok	20.0'		Limestone-drilling	53.5'	
Total	60' 11"		Ceased		

Form revised 7/11/2017

CAHOY WELL AND PUMP SERVICE  
 24568 150<sup>TH</sup> ST. STE. 200  
 SUMNER, IA 50674

OWNER: Kansas PWWSD #25  
 WELL: B-1  
 DATE: 3/9/2018  
 GPS: 38° 57.735N 95° 11.577W

563-578-1130 SUMNER, IA  
 563-578-1135 FAX  
 712-781-2030 MARNE, IA  
 712-781-2032 FAX

