		·	WAIER	WELL HEC	י טאט	FORM WWWC-	NOA 82a-	1212				
1 LOCATION OF WATER WELL:			Fraction				ction Number	Town	ship Number	Ra	nge Number	
County: LEAVENWORTH				SE 1			4	Т	12 s	R	21 EW	
Distance a	ınd direction	from nearest town of	_	11.		_	•					
			4	2 5	of To	NAONO	x/e					
2 WATER	R WELL OW	NER Tailo	ate Ranch					•				
\vdash	Address, Box		Box 133	.,				Boo	ard of Agriculture	Division o	of Water Resource	
	•		B021 100						•		vvaler nesource	
	, ZIP Code	Tongar	noxie, KS	66086					lication Number:			
B LOCATI	E WELL'S L	OCATION WITH 4 De	DEPTH OF CO	MPLETED \	VELL		ft. ELEVAT	ΓΙΟΝ:				
\ \alpha \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	IN SECTION	De	pth(s) Groundv	ater Encoun	tered 1.	۽ جي	ft. 2		ft.	3 <i>.</i>		
T	· i	ı Wı	ELL'S STATIC	WATER LEV	EL3	0 ft. l	pelow land surf	ace measu	red on mo/day/y	r7 . .	19-88	
	1											
	NW	NE _{Fa}	Pump test data: Well water was ft. after hours pumping gpm st. Yield bours pumping gpm									
	ان !		Bore Hole Diameter 12." in. to									
S W												
2			/ELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection						=			
	- SW	SE	1 Domestic	3 Feed					ing 12			
	1		2 Irrigation	4 Indus	strial	7 Lawn and	garden only 1	0 Monitorii	ng well			
	i	ı Wa	as a chemical/b	acteriological	sample s	ubmitted to D	epartment? Ye	s1	NoX; If yes	s, mo/day/	yr sample was sub	
1		mit	tted				Wat	er Well Dis	sinfected? Yes	X	No	
5 TYPE (OF BLANK O	CASING USED:	-	5 Wrought i	ron	8 Concr	ete tile	CASI	NG JOINTS: Glue	edX	Clamped	
1 St		3 RMP (SR)		6 Asbestos-			(specify below					
1		- ,					• •	•				
2 PV		4 ABS		7 Fiberglass								
		5"in.										
Casing he	ight above la	and surface24	4"	in., weight .	2.82		Ibs./f	t. Wall thic	kness or gauge I	No	. .258	
TYPE OF	SCREEN O	R PERFORATION M	MATERIAL:			7 P\	<u>/C</u>	•	10 Asbestos-cem	ent		
1 Ste	eel	3 Stainless st	eel	5 Fiberglass	1	8 RI	/IP (SR)		11 Other (specify	·)		
2 Bra	ass	4 Galvanized	steel	6 Concrete tile			s		12 None used (open hole)			
		RATION OPENINGS	ARF.		5 Gauze	d wrapped	The state of the s				e (open hole)	
1	ontinuous slo				6 Wire v			9 Drilled		11 110	o (opon 11010)	
1			-			• •						
	uvered shutt		ounched		7 Torch							
SCREEN-	PERFORATI	ED INTERVALS:	From		. ft. to		ft., Fron	1		to		
	GRAVEL PA	CK INTERVALS:	From 24.		ft. to	/9	ft., Fron	1	ft.	to		
			From		ft. to		ft., Fron	1	ft.	to	ft.	
6 GROUT	MATERIAL	.: 1 Neat cem	ient 2	Cement gro	out	3 Bent	onite 4 (Other				
Grout Inte	rvals: Fro	m4ft.										
What is th		ource of possible cor		,			10 Livest				d water well	
							11 Fuel storage			15 Oil well/Gas well		
→	ptic tank	4 Lateral li	• •				•			16 Other (specify below)		
2 Sewer lines 5 Cess po						on				otner (spe	city below)	
1	_	er lines 6 Seepage	e pit 9 Feedyard				13 Insecticide storage How many feet? 255					
	rom well?						How man	y feet? 2.				
FROM	то		LITHOLOGIC L	.OG		FROM	ТО		PLUGGING	INTERVA	LS	
0	2	Top Soil										
2	13	Clay-Brown										
13	20	Fine Sand-I		y								
20	26	Clay-Brown		-								
26	30	Brown Silts					1					
-				ad Mad T	on C	Tro 1 Droc-						
30	32	Fine Sand-C		ia-mea-P	ea Gra	MET-RIOM	AF 1					
32	44	Shale-Grey					-					
44	52	Sandstone-0	Grey			_						
52	66	LImestone-	grey									
66	71	Shale-Blac	-									
71	77	Limestone-0										
	79	•	-				1					
77	/ / /	Shale-Grey					+ +				***	
 							 					
		l					-					
						1						
ļ												
7 CONTI	RACTOR'S (OR LANDOWNER'S	CERTIFICATION	DN: This wat	er well wa	as (1) constru	ucted, (2) reco	nstructed, o	or (3) plugged ur	nder my ju	risdiction and was	
completed	on (mo/day	/year) 7.–19	9 - .88				and this recor	d is true to	the best of my k	nowledge	and belief. Kansas	
completed Water We	on (mo/day.		9 - 88 . 182	This	 Water W	ell Record w	and this recor	d is true to on (mo/day	the best of my k	nowledge	and belief. Kansas	