

1	LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Leavenworth		NW ¼ NE ¼ SW ¼	10	T 12 S	R 21 E/W

Distance and direction from nearest town or city street address of well if located within city?

2	WATER WELL OWNER:	Wally Brockhoff	
	RR#, St. Address, Box # :	5413 Mission Road	Board of Agriculture, Division of Water Resources
	City, State, ZIP Code :	Fairway KS 66205	Application Number:

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N	
- NW -	- NE -
- SW -	- SE -
S	

W E

4) DEPTH OF COMPLETED WELL 90 ft. ELEVATION:

Depth(s) Groundwater Encountered 1 27 ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL 15 ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield 15 gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	5 Public water supply	8 Air conditioning	11 Injection well
2 Irrigation	4 Industrial	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
		7 Domestic (lawn & garden)	10 Monitoring well	

Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete tile	CASING JOINTS	Glued	Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded		
2 PVC	4 ABS	7 Fiberglass		Threaded		
Blank casing diameter		5 in. to 22 ft., Dia	5 in. to 70 ft., Dia	5 in. to 90 ft.		
Casing height above land surface		18 in., weight 220 PSI		lbs./ft. Wall thickness or guage No. SDR 21		
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC	10 Asbestos-Cement			
1 Steel	3 Stainless Steel	5 Fiberglass	8 RMP (SR)	11 Other (Specify)		
2 Brass	4 Galvanized Steel	6 Concrete tile	9 ABS	12 None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		5 Guazed wrapped	8 Saw cut	11 None (open hole)		
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes			
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)			
SCREEN-PERFORATED INTERVALS:		22 ft. to 42 ft.	70 ft. to 80 ft.			
		From 22 ft. to 90 ft.	From 70 ft. to 80 ft.			
GRAVEL PACK INTERVALS:		From 22 ft. to 90 ft.	From 70 ft. to 80 ft.			
		From 22 ft. to 90 ft.	From 70 ft. to 80 ft.			

6 GROUT MATERIAL:		1 Neat cement	2 Cement grout	3 Bentonite	4 Other.....
Grout Intervals:		From 0 ft. to 20 ft.,		From ft. to ft.,	
What is the nearest source of possible contamination:					
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well	
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well	
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)	
			13 Insecticide storage	
Direction from well?			How many feet? 300'		

[illegible]

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11/26/05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 595 This Water Well Record was completed on (mo/day/yr) 1/23/06 under the business name of Jesse Yorkum Well Drilling by (signature) [Signature]