WATER WELL RECORD	Form W	WC-5	Division of Water	Resources App. No		
1 LOCATION OF WATER W			ection Number	Township No.	Range Number,	
County: DOVGLAS	SE 1/4 NUW1/4 SE	1/4 1/4	3/	T /2 S	R Z/ DE DW	
Street/Rural Address of Well Location; if unknown, distance & direction			Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .			Latitude: (in decimal degrees)			
12 NORTHWEST OF EUDORA, KS			Longitude: (in decimal degrees)			
			Elevation:			
2 WATER WELL OWNER: TETOMAS MIESSE TRUST			Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
RR#, Street Address, Box #: 2714 WILL CT			Collection Method:  GPS unit (Make/Model:)			
			Digital Map/Photo, Topographic Map, Land Survey			
LAWRENCE, US 66049			Est. Accuracy: $\square$ <3 m, $\square$ 3-5 m, $\square$ 5-15 m, $\square$ >15 m			
3 LOCATE WELL						
WITH AN "X" IN 4 DE	PTH OF COMPLETED WELL	L70	ft.			
SECTION BOX: Depth(	Depth(s) Groundwater Encountered (1)					
N WELL	WELL'S STATIC WATER LEVEL. 2.3ft. below land surface measured on mo/day/yr. 4.4.0/12					
	Pump test data: Well water wasft. after hours pumping gpm					
EST. YIELD <b>500</b> gpm. Well water wasft. after						
W   E   Bore Hole Diameter . Z						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
Irrigation Industrial Domestic-lawn & garden Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
water wen disinfected: [2] Tes [100						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: M Glued						
Casing diameter						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)						
From						
GRAVEL PACK INTERVALS: From ZO ft. to ZO ft., From ft. to ft.						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
What is the nearest source of possible contamination:						
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
□ Watertight sewer lines □ Seepage pit □ Feedyard □ Fertilizer storage □ Oil well/gas well  Direction from well NONE PRIENT □ Distance from well						
			n well		*****	
	THOLOGIC LOG	FROM TO	) LITHO. LC	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
	TOPSOIL					
	FINE (YELLOU)					
	FINE-MED. / BLUE)				PART 1940	
70 74 LIMESTO	ME					
					P44-94	
					-	
					Section and the section of the secti	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, Constructed, or plugged						
under my jurisdiction and was completed on (mo/day/year)						
Kansas Water Well Contractor's License No. 5.8. This Water Well Record was completed on (mo/day/year)						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212						